

Publication

EP 0554519 A3 19940427

Application

EP 92118478 A 19921029

Priority

DE 4203184 A 19920205

Abstract (en)

[origin: EP0554519A2] In the case of this protective earth conductor terminal, an attachment and contact foot (4) is provided for the busbar (2) to make electrical contact with the carrier rail (5), which attachment and contact foot (4) is constructed as a solid metal part on which hook elements (6, 7) are provided for interaction with the carrier rail limbs and on which a long spring leg (8) is integrally formed. This allows reliable mechanical retention and good electrical contact to be achieved on and with the carrier rail (5) respectively, it being possible to produce the attachment and contact foot particularly easily, in one piece. <IMAGE>

IPC 1-7

H01R 9/26

IPC 8 full level

H01R 9/26 (2006.01); **H05K 7/12** (2006.01)

CPC (source: EP US)

H01R 9/2608 (2013.01 - EP US); **H01R 9/2691** (2013.01 - EP US)

Citation (search report)

- [Y] CH 532253 A 19721231 - OSKAR WOERTZ INH H & O WOERTZ [CH]
- [Y] DE 7712331 U1 19771117
- [A] CH 629038 A5 19820331 - SPRECHER & SCHUH AG [CH]

Cited by

CN109983627A; DE10315668B4; EP3540861A1; DE19729327C1; EP0891010A3; DE10218567A1; DE10218567B4; DE10218567C5; EP1357642A3; US6329335B1; US10511109B2; GB2283134A; US5425655A; US5470254A; GB2283134B; EP1357642A2; US6962507B2; US6183311B1

Designated contracting state (EPC)

AT CH DE ES FR GB IT LI SE

DOCDB simple family (publication)

EP 0554519 A2 19930811; **EP 0554519 A3 19940427**; **EP 0554519 B1 19960918**; AT E143180 T1 19961015; DE 4203184 A1 19930812; DE 4203184 C2 19931202; DE 4203184 C3 19961121; DE 59207184 D1 19961024; ES 2092614 T3 19961201; JP 2509432 B2 19960619; JP H06318477 A 19941115; US 5334054 A 19940802

DOCDB simple family (application)

EP 92118478 A 19921029; AT 92118478 T 19921029; DE 4203184 A 19920205; DE 59207184 T 19921029; ES 92118478 T 19921029; JP 1529193 A 19930202; US 854493 A 19930125