Title (en)

HANDLE SYSTEM

Publication

EP 0563568 A3 19931201 (DE)

Application

EP 93102814 A 19930224

Priority

DE 9202868 U 19920305

Abstract (en)

[origin: EP0563568A2] In a handle system, the handle main part (12) can be connected non-positively and positively to supporting parts (14) via curved pieces (16) to form a stable bow-type handle (10) which is fixed to a fastening surface (A) by means of bolts (B). Each curved piece (16) has an angle piece (36), over which a cover (46) engages and which can be screwed to a tension member (22) in a tubular body (20) of the handle main part (12). In a supporting part (14), a tubular piece (34) surrounds a ribbed block (24) having a inner stepped bore (28), in the bush part (48) of which a connection piece (58) is seated. The latter has a flange (60) and, on a shank (62), a V-groove (64) where a radial setscrew (54) retains the supporting part (14). Two identical shells (56) can be interlocked by being pressed onto one another and/or by displacement parallel to the edges, so that the cover (46) has the same outer contour (K) as the tubular elements (20, 34), namely that of a rounded square. In the angle piece (46) of generally U-shaped cross-section, screw heads (44) are supported on inner stop faces (42). <IMAGE>

IPC 1-7

E05B 1/00

IPC 8 full level

E05B 1/00 (2006.01)

CPC (source: EP)

E05B 1/0015 (2013.01)

Citation (search report)

- [AD] DE 7117165 U
- [AD] DE 3725719 A1 19890216 DIECKMANN DIETER [DE]
- [X] GB 2185798 A 19870729 UMBERTO CONFALANIERI & C S R L
- [X] DE 3436990 A1 19860410 LUTTENBERGER JO
- [A] DE 9100768 U1 19910411

Cited by

EP1388626A1; US2020011063A1; EP1695647A3; ES2182651A1; ES2182650A1; EP0785320A1; US5810502A; WO2010133477A3; WO9622436A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI NL

DOCDB simple family (publication)

DE 9202868 U1 19930401; EP 0563568 A2 19931006; EP 0563568 A3 19931201

DOCDB simple family (application)

DE 9202868 U 19920305; EP 93102814 A 19930224