

Title (en)

PROCESS AND DEVICE FOR DISSOLVING THE INK-BEARING LAYER ON THE SURFACE OF AN IMAGED PRINTING FORM

Publication

EP 0570879 A3 19940803 (DE)

Application

EP 93107980 A 19930517

Priority

DE 4216636 A 19920520

Abstract (en)

[origin: EP0570879A2] For the purpose of repeatedly dissolving the ink-bearing layer of an imaged printing form suitable for offset printing, a jet of a pressurised medium is directed obliquely onto the imaged surface of the printing form at an angle alpha which is less than 90 DEG by means of a dissolving device. A relative movement between the printing form and the dissolving device is executed in such a way that the image/picture elements of the ink-bearing layer are removed over the entire surface of the printing form. Water is preferably used for the pressurised medium.
<IMAGE>

IPC 1-7

B41N 3/00

IPC 8 full level

B41C 1/00 (2006.01); **B41F 7/02** (2006.01); **B41N 3/00** (2006.01); **B41C 1/10** (2006.01)

CPC (source: EP)

B41N 3/006 (2013.01); **B41C 1/1091** (2013.01)

Citation (search report)

- [Y] DE 3713801 A1 19881110 - FORSCHUNGSGESELLSCHAFT FUER DR [DE]
- [Y] DE 1013667 B 19570814 - JAENECKE SCHNEEMANN K G DRUCKF
- [A] US 2356771 A 19440829 - MCKINLEY REX V
- [A] DE 2539025 A1 19760311 - AUSTRALIA RES LAB

Cited by

CN100431837C; EP0965444A1; US6525008B2; US7428868B2; US7191705B2; WO2005084951A1; WO03070481A1; EP0813957B1; WO2004108416A1

Designated contracting state (EPC)

CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0570879 A2 19931124; **EP 0570879 A3 19940803**; **EP 0570879 B1 19970102**; CA 2096170 A1 19931121; CA 2096170 C 19961015; DE 4216636 A1 19931125; DE 4216636 C2 19951123; DE 59304938 D1 19970213; JP 3361145 B2 20030107; JP H0647891 A 19940222

DOCDB simple family (application)

EP 93107980 A 19930517; CA 2096170 A 19930513; DE 4216636 A 19920520; DE 59304938 T 19930517; JP 11554693 A 19930518