

Title (en)

A section steel wire for an oil ring and a method of producing the same

Title (de)

Stahldraht für einen Öhring und Verfahren zur seiner Herstellung

Title (fr)

Fil d'acier pour un segment racleur d'huile et procédé pour sa fabrication

Publication

**EP 0594042 B1 19970129 (EN)**

Application

**EP 93116516 A 19931012**

Priority

- JP 28599792 A 19921023
- JP 28741192 A 19921026
- JP 29123492 A 19921029

Abstract (en)

[origin: EP0594042A1] A section steel wire for an oil ring for use in an internal combustion engine, consisting essentially of, by weight, 0.6 to 1.5% carbon, not more than 1.5% Si, not more than 1.5% Mn, more than 20% and not more than 25% Cr, and optionally containing at least one group selected from three groups consisting of a group of at least one element of Mo and W in total amount of not more than 3% of "Mo + W/2", another group of at least one element of V and Nb in total amount of not more than 3% of "V + Nb/2" and still another group of at least one element selected from not more than 12% Co, not more than 5% Ni and not more than 5% Cu, and balance of Fe and unavoidable impurities. The section steel wire has a Vickers hardness of HV 300 to HV 450 and has a substantially H-or X-shaped cross-section. A thickness ratio of the thickness of the web portion bridging the flange portions to the total thickness (T) of the flange portions is not greater than 0.3. <IMAGE>

IPC 1-7

**B23P 15/06**; **B21B 1/16**; **F16J 9/20**; **F16J 9/00**

IPC 8 full level

**B21B 1/16** (2006.01); **B23P 15/06** (2006.01); **F16J 9/20** (2006.01); **B21B 1/08** (2006.01); **B21B 3/02** (2006.01)

CPC (source: EP KR US)

**B21B 1/166** (2013.01 - EP US); **B23P 15/06** (2013.01 - KR); **B23P 15/065** (2013.01 - EP US); **F16J 9/203** (2013.01 - EP US); **F16J 9/206** (2013.01 - EP US); **B21B 1/088** (2013.01 - EP US); **B21B 3/02** (2013.01 - EP US); **Y10S 277/924** (2013.01 - EP US); **Y10S 277/94** (2013.01 - EP US)

Cited by

EP1325252A4; EP1143025A1; CN107797517A; EP0711630A1

Designated contracting state (EPC)

DE GB

DOCDB simple family (publication)

**EP 0594042 A1 19940427**; **EP 0594042 B1 19970129**; DE 69307823 D1 19970313; DE 69307823 T2 19970911; KR 940008773 A 19940516; KR 960008694 B1 19960629; US 5411609 A 19950502

DOCDB simple family (application)

**EP 93116516 A 19931012**; DE 69307823 T 19931012; KR 930022185 A 19931022; US 13805093 A 19931019