

Title (en)
Gas or oil burner.

Title (de)
Gas-/Ölbrenner.

Title (fr)
Brûleur à gaz ou à huile.

Publication
EP 0597221 A1 19940518 (DE)

Application
EP 93115335 A 19930923

Priority
DE 4237858 A 19921110

Abstract (en)
A gas or oil burner has a burnable gas/oil nozzle (1) which can be supplied with burnable gas or oil by means of a burnable gas/oil supply line (4) and from which a burnable gas/oil jet can be radiated, and an atomising nozzle (2) which is arranged downstream of the burnable gas/oil nozzle (1) and can be supplied with condensed atomising gas by means of a gas supply line (7) and in which a nozzle space is formed, which widens in the direction of the opening and in which the burnable gas/oil jet and the atomising gas can be mixed thoroughly and the resulting burnable gas/atomising gas or oil/atomising gas flow can be acted upon with a twist. To simplify the device technically and for the purpose of achieving a longer life of a flame pipe surrounding the burner coaxially, gas radiating ducts (6) are formed in the atomising nozzle (2), which are arranged in differing directions perpendicularly to the main flow direction of the burnable gas/oil jet emerging from the burnable gas/oil nozzle (1), the longitudinal axes of which have a spacing from the main flow or central axis (5) of the burnable gas/oil jet and the overall flow cross-section of which is sufficiently large in order to radiate the combustion air necessary for the combustion process with the or as atomising gas through the gas radiating ducts (6) into the nozzle space of the atomising nozzle (2). <IMAGE>

Abstract (de)
Ein Gas-/Ölbrenner hat eine Brenngas-/Öldüse (1), die mittels einer Brenngas-/Ölzufuhrleitung (4) mit Brenngas bzw. Öl versorgbar ist und aus der ein Brenngas-/Ölstrahl abstrahlbar ist, und eine Zerstäuberdüse (2), die stromab der Brenngas-/Öldüse (1) angeordnet und mittels einer Gaszufuhrleitung (7) mit verdichtetem Zerstäubergas versorgbar ist und in der ein sich in Öffnungsrichtung erweiternder Düsenraum ausgebildet ist, in dem der Brenngas-/Ölstrahl und das Zerstäubergas durchmischbar und der entstehende Brenngas-/Zerstäubergas- bzw. Öl/Zerstäubergasstrom mit einem Drall beaufschlagbar sind. Zur technischen Vereinfachung des Geräts und zwecks Erreichung einer höheren Lebensdauer eines den Brenner coaxial umgebenden Flammrohres sind in der Zerstäuberdüse (2) Gasabstrahlkanäle (6) ausgebildet, die in unterschiedlichen Richtungen senkrecht zur Hauptströmungsrichtung des aus der Brenngas-/Öldüse (1) austretenden Brenngas-/Ölstrahls angeordnet sind, deren Längsachsen einen Abstand zur Hauptströmungs- bzw. Mittelachse (5) des Brenngas-/Ölstrahls aufweisen und deren gesamter Strömungsquerschnitt ausreichend groß ist, um die für den Verbrennungsvorgang erforderliche Verbrennungsluft mit dem bzw. als Zerstäubergas durch die Gasabstrahlkanäle (6) in den Düsenraum der Zerstäuberdüse (2) abzustrahlen. <IMAGE>

IPC 1-7
F23D 11/00; F23D 14/24

IPC 8 full level
F23D 11/00 (2006.01); **F23D 14/24** (2006.01)

CPC (source: EP)
F23D 11/007 (2013.01); **F23D 14/24** (2013.01)

Citation (search report)
• [XY] DE 3005042 A1 19810820 - SMIT OVENS NIJMEGEN BV [NL]
• [Y] DE 4010360 A1 19911002 - ERAT PETER [DE], et al
• [XY] DE 3102416 A1 19820812 - HOLEC FURNACES B V [NL]
• [Y] DE 2511500 A1 19760923 - SMIT NIJMEGEN BV
• [X] GB 896494 A 19620516 - ZD Y V I
• [A] EP 0072950 A2 19830302 - KRAFT HAUSHERR GMBH & CO KG [DE]

Cited by
DE19905996A1; CN115930436A; US6325618B1; US6448565B1

Designated contracting state (EPC)
DE ES FR GB IT PT

DOCDB simple family (publication)
DE 4237858 A1 19940511; CN 1091190 A 19940824; EP 0597221 A1 19940518

DOCDB simple family (application)
DE 4237858 A 19921110; CN 93114862 A 19931110; EP 93115335 A 19930923