

Title (en)
Inking unit for a rotary printing machine

Title (de)
Farbwerk für eine Rotationsdruckmaschine

Title (fr)
Dispositif d'encrage pour une machine à imprimer rotative

Publication
EP 0606861 B1 19980520 (DE)

Application
EP 94100210 A 19940108

Priority
DE 4300683 A 19930113

Abstract (en)
[origin: US5406886A] An inking system for a rotary printing press is provided in which an ink application roller moves along in a frictionally engaged manner between an ink friction cylinder, which moves back and forth in the axial direction, and a plate cylinder to transfer ink to the plate cylinder for producing two quarter-cylinder-wide prints of maximum width and one half-cylinder-wide panoramic print of maximum width. Ink-free zones between the type matter on the plate cylinder are spaced from each other by less than distances between ink-free zones on an ink ductor. The ink application roller has annular grooves in its jacket surface and is disposed so that it moves back and forth at the same axial traversing frequency as the ink friction cylinder, but with a lesser traversing length.

IPC 1-7
B41F 31/14

IPC 8 full level
B41F 31/00 (2006.01); **B41F 31/14** (2006.01); **B41F 31/15** (2006.01); **B41F 31/18** (2006.01)

CPC (source: EP US)
B41F 31/00 (2013.01 - EP US); **B41F 31/15** (2013.01 - EP US); **Y10S 101/38** (2013.01 - EP US)

Designated contracting state (EPC)
CH DE FR GB IT LI SE

DOCDB simple family (publication)
US 5406886 A 19950418; DE 4300683 A1 19940714; DE 4300683 C2 19980813; DE 59405968 D1 19980625; EP 0606861 A1 19940720; EP 0606861 B1 19980520; JP 2752577 B2 19980518; JP H06238874 A 19940830

DOCDB simple family (application)
US 18111394 A 19940113; DE 4300683 A 19930113; DE 59405968 T 19940108; EP 94100210 A 19940108; JP 214894 A 19940113