

Title (en)  
Electrostatic relay

Title (de)  
Elektrostatishes Relais

Title (fr)  
Relais électrostatique

Publication  
**EP 0608816 B1 19980624 (EN)**

Application  
**EP 94101002 A 19940124**

Priority  
JP 1060793 A 19930126

Abstract (en)  
[origin: EP0608816A2] An electrostatic relay comprises at least one fixed base having a fixed electrode and an actuator frame having a movable electrode. The fixed base carries a pair of fixed contacts insulated from the fixed electrode. The movable electrode carries a movable contact insulated from the movable electrode. The movable electrode extends along the fixed electrode and is pivotally supported at its one longitudinal end relative to the fixed base so as to pivot between two contacting positions of closing and opening the movable contact to and from the fixed contacts. The movable contact is formed at the other longitudinal end of the movable electrode. A control voltage source is connected across the fixed electrode and the movable electrode to generate a potential difference therebetween for developing an electrostatic force by which the movable electrode is attracted toward said fixed electrode to move into one of the two contacting positions. The electrostatic relay is characterized in that the movable electrode is cooperative with the fixed electrode to define therebetween an elongate gap which is narrower toward the one longitudinal end about which the movable electrode pivot than at the other longitudinal end of the movable electrode at which the movable contact is carried.

IPC 1-7  
**H01H 59/00**

IPC 8 full level  
**H01H 59/00** (2006.01)

CPC (source: EP US)  
**H01H 59/0009** (2013.01 - EP US); **H01H 2059/0081** (2013.01 - EP US); **H01H 2059/009** (2013.01 - EP US)

Cited by  
EP1738217A4; EP1150318A4; FR2830004A1; EP1343190A3; EP1756848A4; EP4057317A1; US8198974B2; WO0157901A1; WO0031767A1; WO03027750A1; US7027284B2; US7816999B2; WO0052722A1; WO9943013A1; WO2022189128A1

Designated contracting state (EPC)  
DE FR GB

DOCDB simple family (publication)  
**EP 0608816 A2 19940803; EP 0608816 A3 19950510; EP 0608816 B1 19980624**; CA 2114159 A1 19940727; CA 2114159 C 19981201; DE 69411201 D1 19980730; DE 69411201 T2 19981029; JP 3402642 B2 20030506; JP H06223698 A 19940812; US 5544001 A 19960806

DOCDB simple family (application)  
**EP 94101002 A 19940124**; CA 2114159 A 19940125; DE 69411201 T 19940124; JP 1060793 A 19930126; US 18841494 A 19940124