

Title (en)

ELECTRICAL TERMINAL RECEPTACLE WITH IMPROVED MEANS FOR CONNECTING TWO ELECTRICAL CONDUCTING CABLES AND A METHOD FOR MANUFACTURING IT.

Publication

EP 0608836 A3 19960306 (EN)

Application

EP 94101064 A 19940125

Priority

GB 9301465 A 19930126

Abstract (en)

[origin: EP0608836A2] An electrical terminal receptacle (2) is shown having a contacting section (4), a locking section (8) and a conductor attachment section (6). The terminal receptacle (2) is formed and stamped from sheet metal into a box-shaped shell (14) whereby S-shaped contacting tongues attached to a top edge (20) and bending inwards into the shell (14), receive and make contact with a tab terminal. The conductor attachment section (6) comprises two wire connecting sections (5,7) attached to a bottom edge (21) of the shell (14), the wire connecting sections (5,7) each having a crimp barrel (36,38) and a strain relief section (40,42). An insulated multi-stranded electrical wire (9) is connected to one of the wire connecting sections (5) and another insulated multi-stranded electrical wire (10) is connected to the other wire connecting section (7). <IMAGE>

IPC 1-7

H01R 13/115; H01R 43/16

IPC 8 full level

H01R 13/115 (2006.01); **H01R 43/16** (2006.01); **H01R 4/18** (2006.01); **H01R 31/02** (2006.01)

CPC (source: EP)

H01R 13/115 (2013.01); **H01R 43/16** (2013.01); **H01R 4/185** (2013.01); **H01R 31/02** (2013.01)

Citation (search report)

- [A] EP 0429177 A1 19910529 - AMP INC [US]
- [A] EP 0142255 A1 19850522 - AMP INC [US]
- [A] EP 0416834 A1 19910313 - SUMITOMO WIRING SYSTEMS [JP], et al
- [A] US 5098320 A 19920324 - COLLERAN STEPHEN A [US], et al

Cited by

US5879205A; US8530717B2; WO9613082A3; WO9633506A3; EP1294056B1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

EP 0608836 A2 19940803; EP 0608836 A3 19960306; GB 9301465 D0 19930317

DOCDB simple family (application)

EP 94101064 A 19940125; GB 9301465 A 19930126