

Title (en)  
ELECTRON BEAM EXIT WINDOW.

Title (de)  
ELEKTRONENSTRAHLAUSTRITTSFENSTER.

Title (fr)  
FENETRE DE SORTIE POUR FAISCEAU ELECTRONIQUE.

Publication  
**EP 0646283 A1 19950405 (DE)**

Application  
**EP 93911733 A 19930503**

Priority  

- DE 9300402 W 19930503
- DE 4219562 A 19920615

Abstract (en)  
[origin: DE4219562C1] Owing to their necessary thickness, prior art electron beam exit windows (Lenard windows) have a high absorption or require cooling systems and expensive supporting structures. The aim is to provide a window which is easy to make with low absorption which avoids these problems. The beam exit aperture is given a vacuum-tight seal in the prior art manner using a metal foil while on the vacuum side a supporting grid of highly heatproof fibre strands secured in a frame is fitted to bear against it. The electron beam exit window is particularly suitable for relative low electron energies with high power density.

IPC 1-7  
**H01J 33/04; H01J 5/18**

IPC 8 full level  
**H01J 5/18** (2006.01); **H01J 33/04** (2006.01)

CPC (source: EP US)  
**H01J 5/18** (2013.01 - EP US); **H01J 33/04** (2013.01 - EP US)

Citation (search report)  
See references of WO 9326032A1

Cited by  
US7295015B2; US7768267B2

Designated contracting state (EPC)  
DE FR GB IT NL

DOCDB simple family (publication)  
**DE 4219562 C1 19930715**; DE 59305276 D1 19970306; EP 0646283 A1 19950405; EP 0646283 B1 19970122; JP H08501651 A 19960220;  
US 5561342 A 19961001; WO 9326032 A1 19931223

DOCDB simple family (application)  
**DE 4219562 A 19920615**; DE 59305276 T 19930503; DE 9300402 W 19930503; EP 93911733 A 19930503; JP 50100594 A 19930503;  
US 35140195 A 19950217