

Title (en)

process for producing extra high tensile steel having excellent stress corrosion cracking resistance

Title (de)

Verfahren zum Herstellen von hochfestem Stahl mit ausgezeichneter Beständigkeit gegen Spannungsrisskorrosion

Title (fr)

Procédé pour la production d'acier à très haute résistance présentant une excellente résistance à la fissuration par corrosion sous contrainte

Publication

EP 0651059 B1 19990825 (EN)

Application

EP 93117410 A 19931027

Priority

EP 93117410 A 19931027

Abstract (en)

[origin: EP0651059A1] An extra high tensile steel having an excellent stress corrosion cracking resistance in sea water and a yield strength of 1080 MPa or more is provided. A slab comprising, in terms of % by weight, 0.04 to 0.09% of C, 0.01 to 0.10% of Si, 0.05 to 0.65% of Mn, 8.0 to 11.0% of Ni, 0.5 to 1.5% of Mo, 0.2 to 1.5% of Cr, 0.02 to 0.20% of V and 0.01 to 0.08% of Al with the balance consisting of iron and unavoidable impurities is heated to a temperature between 1000 DEG C and 1250 DEG C, hot-rolled at a temperature of Ar' point or above, air-cooled, reheated at a rate of 120 DEG C/min or less to a temperature region of from (Ac3 point - 40 DEG C) to (Ac3 point + 40 DEG C), quenched and subsequently tempered at a temperature of the Ac1 point or below. <IMAGE>

IPC 1-7

C21D 8/02; C21D 6/00; C22C 38/08

IPC 8 full level

C21D 6/00 (2006.01); **C21D 8/02** (2006.01); **C22C 38/08** (2006.01); **C21D 1/18** (2006.01)

CPC (source: EP)

C21D 6/001 (2013.01); **C21D 8/0205** (2013.01); **C22C 38/08** (2013.01); **C21D 1/18** (2013.01); **C21D 2211/008** (2013.01)

Cited by

JP2018080367A; WO2024120076A1

Designated contracting state (EPC)

DE FR IT SE

DOCDB simple family (publication)

EP 0651059 A1 19950503; **EP 0651059 B1 19990825**; DE 69326152 D1 19990930; DE 69326152 T2 20000406

DOCDB simple family (application)

EP 93117410 A 19931027; DE 69326152 T 19931027