

Title (en)

COMPOSITION FOR OBTAINING FOAMED POLYVINYLCHLORIDE MATERIAL AND METHOD OF OBTAINING IT

Title (de)

ZUSAMMENSETZUNG ZUR HERSTELLUNG VON GESCHÄUMTEM POLYVINYLCHLORIDMATERIAL UND VERFAHREN ZUR HERSTELLUNG

Title (fr)

COMPOSITION DESTINEE A LA PRODUCTION DE CHLORURE DE POLYVINYLE ET SON PROCEDE D'OBTENTION

Publication

EP 0657494 B1 19981230 (EN)

Application

EP 94908155 A 19930726

Priority

- RU 9300177 W 19930726
- RU 92001241 A 19921020
- SU 5058438 A 19920811

Abstract (en)

[origin: EP0657494A1] A foamed polyvinylchloride (PVC) material is obtained by mixing 100 parts by weight of PVC with 0.5-6 parts by weight of sodium alkyl sulphonate, forming the obtained composition, and subsequent foaming by heating at 190 - 300 DEG C during 3 to 20 min. Forming is effected either under 0.5 - 400 MPa and at 20-170 DEG C with subsequent heating to 140 - 150 DEG C in a closed volume, or in free state, in the form of a layer of 2 - 16 mm thick. In the latter case the layer before forming may be subjected to compacting.

IPC 1-7

C08J 9/00; **C08K 5/42**

IPC 8 full level

C08J 9/00 (2006.01); **C08J 9/24** (2006.01); **C08K 5/42** (2006.01)

CPC (source: EP US)

C08J 9/0033 (2013.01 - EP US); **C08J 9/24** (2013.01 - EP US); **C08K 5/42** (2013.01 - EP US); **C08J 2327/06** (2013.01 - EP US); **Y10S 521/919** (2013.01 - EP)

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI NL PT SE

DOCDB simple family (publication)

EP 0657494 A1 19950614; **EP 0657494 A4 19951206**; **EP 0657494 B1 19981230**; AT E175222 T1 19990115; BG 99413 A 19951229; DE 69322870 D1 19990211; DE 69322870 T2 19990527; UA 39182 C2 20010615; US 5705538 A 19980106

DOCDB simple family (application)

EP 94908155 A 19930726; AT 94908155 T 19930726; BG 9941395 A 19950209; DE 69322870 T 19930726; UA 95038216 A 19930726; US 38202795 A 19950403