

Title (en)

AIR MOTOR WITH MEANS TO PREVENT FREEZING

Title (de)

PRESSLUFTMASCHINE MIT GEFRIERSCHUTZMITTEL

Title (fr)

MOTEUR A AIR COMPRIME PROTEGE CONTRE LA FORMATION DE GLACE

Publication

**EP 0666961 B1 19990414 (EN)**

Application

**EP 94921742 A 19940728**

Priority

- GB 9401624 W 19940728
- GB 9315736 A 19930729

Abstract (en)

[origin: WO9504208A1] An air motor of the reciprocating piston type has a piston (14) connected to a piston rod (13). The compressed air flow to the opposite sides of the piston is controlled by a control valve member (16) which is coupled by an actuating mechanism to the piston rod so that air is supplied to the opposite ends in turn of the cylinder (10) which contains the piston. The air is exhausted from the opposite ends of the cylinder through respective exhaust control valves each having a diaphragm (32). The exhaust control valves control the air flow into exhaust conduits (31, 35) which are constructed so that the expansion of the air takes place in portions of the conduits which are removed from the exhaust control valves thereby to minimise the risk of ice formation in the exhaust control valves.

IPC 1-7

**F01B 31/02**

IPC 8 full level

**F01B 11/00** (2006.01); **F01B 31/02** (2006.01)

CPC (source: EP)

**F01B 11/00** (2013.01); **F01B 31/02** (2013.01)

Designated contracting state (EPC)

DE ES FR GB IT SE

DOCDB simple family (publication)

**WO 9504208 A1 19950209**; AU 7234494 A 19950228; DE 69417867 D1 19990520; DE 69417867 T2 19991014; EP 0666961 A1 19950816; EP 0666961 B1 19990414; GB 9315736 D0 19930915

DOCDB simple family (application)

**GB 9401624 W 19940728**; AU 7234494 A 19940728; DE 69417867 T 19940728; EP 94921742 A 19940728; GB 9315736 A 19930729