

Title (en)

Control and operation device for an electric metal-clad power transmission line

Title (de)

Regelungs und Bedienungsvorrichtung für ein gekapseltes Versorgungskabel

Title (fr)

Dispositif de contrÔle et de commande pour ligne de transport électrique blindée

Publication

**EP 0673098 B1 19990506 (FR)**

Application

**EP 95400548 A 19950314**

Priority

- FR 9403058 A 19940316
- FR 9403057 A 19940316

Abstract (en)

[origin: EP0673098A1] The device for controlling and protecting an electric line shielded by pressurised dielectric gas, includes a number of sections, two adjacent sections being separated by a junction which permit separation of the sections. Each section includes at least one conductor maintained in position in a cylindrical sheath (1). The three phase conductors (3,4,5) are held in position by a bolted frame (20) and arms (9,10,11) within an inner aluminium sheath (2) and the outer steel sheath (1). Joints between sections of sheath are made by sliding cylinders (56,59,60) and between conductors by sliding sleeves (52). Bands of low coefficient plastic (22) maintain a space between inner and outer sheaths which allows an optical fibre (100) to run along a number of transmission line sections to a control station. In each section a microprocessor and signal convertor (102) gathers signals from thermal, partial discharge, luminous and gas flow sensors (103,104,105,106 and 107).

IPC 1-7

**H02B 13/065**

IPC 8 full level

**G01R 31/12** (2006.01); **G01M 3/26** (2006.01); **G01R 31/08** (2006.01); **H02B 13/065** (2006.01); **H02H 5/00** (2006.01)

CPC (source: EP US)

**H02B 13/065** (2013.01 - EP US)

Cited by

DE19535605A1; EP0788207A1; FR2744279A1; EP0836258A1; FR2754631A1; US5930415A; US6239723B1; WO9608859A1; WO9728589A1

Designated contracting state (EPC)

AT CH DE ES FR GB IT LI SE

DOCDB simple family (publication)

**EP 0673098 A1 19950920; EP 0673098 B1 19990506;** AT E179838 T1 19990515; CA 2144671 A1 19950917; DE 69509426 D1 19990610;  
DE 69509426 T2 19991216; ES 2131282 T3 19990716; JP H07280878 A 19951027; US 5569840 A 19961029

DOCDB simple family (application)

**EP 95400548 A 19950314;** AT 95400548 T 19950314; CA 2144671 A 19950315; DE 69509426 T 19950314; ES 95400548 T 19950314;  
JP 5771395 A 19950316; US 40473495 A 19950315