

Title (en)

ELECTRIC CONTACTING FOR A LIGHT SOURCE.

Title (de)

ELEKTRISCHE KONTAKTIERUNG EINER LICHTQUELLE.

Title (fr)

CONNEXION ELECTRIQUE D'UNE SOURCE DE LUMIERE.

Publication

**EP 0673487 A1 19950927 (DE)**

Application

**EP 94928270 A 19940928**

Priority

- DE 9401143 W 19940928
- DE 4334722 A 19931012

Abstract (en)

[origin: WO9510730A1] The light source (14) is a so-called H1 incandescent lamp used in vehicle headlights. The light source (14) has an earth-contacting metallic base section (22) and a contacting pin (20) for contacting the positive pole. A plug connector (30) with a receptacle (32) may be plugged onto the contact pin (20). The receptacle (32) is surrounded by an electrically insulating sheath (38). An earth contacting element (50) arranged on the sheath (38) has two elastic contact arms (54) that extend toward the light source (14). When the plug connector (30) is mounted, the positive pole of the light source is contacted through the receptacle (32) at the same time as the light source (14) is connected to earth by means of the contacting arms (54) that are prestressed against the base section (22).

IPC 1-7

**F21M 7/00; H01R 33/06; F21V 19/00**

IPC 8 full level

**F21S 2/00** (2006.01); **F21V 19/00** (2006.01); **H01R 4/64** (2006.01); **H01R 33/06** (2006.01)

CPC (source: EP US)

**F21S 41/192** (2017.12 - EP US); **F21V 19/0005** (2013.01 - EP US); **H01R 33/06** (2013.01 - EP US)

Citation (search report)

See references of WO 9510730A1

Designated contracting state (EPC)

DE ES FR GB IT

DOCDB simple family (publication)

**DE 4334722 A1 19950413**; DE 59408434 D1 19990729; EP 0673487 A1 19950927; EP 0673487 B1 19990623; ES 2134957 T3 19991016;  
JP H08505002 A 19960528; US 5823805 A 19981020; WO 9510730 A1 19950420

DOCDB simple family (application)

**DE 4334722 A 19931012**; DE 59408434 T 19940928; DE 9401143 W 19940928; EP 94928270 A 19940928; ES 94928270 T 19940928;  
JP 51115694 A 19940928; US 45410995 A 19950526