

Title (en)

Device for forcing a treating fluid through a textile material

Title (de)

Vorrichtung zum durchströmenden Behandeln von Textilgut od. Dgl.

Title (fr)

Dispositif pour forcer un fluide de traitement à travers une matière textile

Publication

EP 0678613 B1 20001102 (DE)

Application

EP 95105355 A 19950410

Priority

DE 4413779 A 19940420

Abstract (en)

[origin: EP0678613A2] An appts. for the treatment of textile fabric, fleece or paper with circulating gas or fluid comprises a transport element, i.e. under suction, a permeable drum (5) with end walls (11,12) and a screen layer (19) covering its circumference. Sheet metal strips (10) extend directly and unbending between the end walls and in breadth radially, while they are firmly fastened on both sides one with its neighbour by one-piece connecting, i.e. bridge-formed, elements (20) with at least one drill hole to take a screw (29,29',30,30') or similar fixing device. The bridges, equal in width to the strips, are spaced at regular intervals along the drum length to maintain the inter-strip spacing. Here, an additional sheet metal drum with openings is placed radially under the inner edges of the sheet metal strips over the whole length of the drum (5). Also claimed is a similar arrangement but where here there is only one drill hole over the length of each metal strip and each connecting element (20) is a small tube fastened by just one adjustable screw. <IMAGE>

IPC 1-7

D06B 5/08

IPC 8 full level

D06B 5/12 (2006.01); **D06B 5/08** (2006.01); **D06B 23/02** (2006.01); **D21F 5/18** (2006.01); **F26B 13/16** (2006.01)

CPC (source: EP US)

D06B 23/025 (2013.01 - EP US); **D21F 5/182** (2013.01 - EP US); **F26B 13/16** (2013.01 - EP US)

Cited by

DE102018119570A1; CN105544124A; US11788220B2

Designated contracting state (EPC)

CH DE FR IT LI

DOCDB simple family (publication)

EP 0678613 A2 19951025; **EP 0678613 A3 19971119**; **EP 0678613 B1 20001102**; AU 1626495 A 19951102; AU 684608 B2 19971218; BR 9501733 A 19951114; DE 4413779 A1 19951026; DE 59508815 D1 20001207; JP 3624003 B2 20050223; JP H07292563 A 19951107; US 5570594 A 19961105

DOCDB simple family (application)

EP 95105355 A 19950410; AU 1626495 A 19950404; BR 9501733 A 19950419; DE 4413779 A 19940420; DE 59508815 T 19950410; JP 9564195 A 19950420; US 42462595 A 19950419