

Title (en)

System and methods for electronic control of an accumulator fuel system

Title (de)

Verfahren und Vorrichtung zur elektronischen Steuerung eines Speicherkraftstoffsystems

Title (fr)

Système et méthode de commande électronique pour système accumulateur de carburant

Publication

EP 0681100 B1 20020327 (EN)

Application

EP 95106632 A 19950503

Priority

US 23885994 A 19940506

Abstract (en)

[origin: EP0681100A2] An electronic digital control system monitors and controls the operation of an engine fueling system. Signals activating injection for a plurality of cylinders are transmitted through a single line to a driving circuit for a single injector solenoid valve, while signals controlling accumulator fuel pumps are transmitted to pumping control solenoids. Injection signals are controlled to vary fuel delivery rate during an injection event. A back EMF sensing circuit measures valve opening delay and the control system compensates for valve delay. Variable cylinder-specific delays in the injection solenoid output signal pulses are programmed to compensate for a varying fuel line length to each injector nozzle. At startup, the control system pulses the pumping control solenoids to begin pressurizing the accumulator before engine angular position sensors provide an accurate indication of engine angular position to allow precise timed control of the pump. Pressure variations in the high pressure accumulator are monitored by the control system in conjunction with injection events, and pump equipment failures or weaknesses are detected based on the pressure variations. In alternative embodiments of the invention, a pre-biasing current using battery voltage is provided to the injection control valve prior to the desired time of an injection event, and the current is increased at the desired time of opening. An input allows signaling the control system when a load is to be applied to cause an immediate change in fueling levels, to prepare for load increases in electrical generation and other non-motive-power applications. <IMAGE>

IPC 1-7

F02D 41/38; **F02M 45/04**

IPC 8 full level

F02M 45/00 (2006.01); **F02D 41/20** (2006.01); **F02D 41/38** (2006.01); **F02M 41/16** (2006.01); **F02M 45/04** (2006.01); **F02M 45/12** (2006.01); **F02M 47/00** (2006.01); **F02M 47/02** (2006.01); **F02M 55/02** (2006.01); **F02M 59/46** (2006.01); **F02M 63/00** (2006.01)

CPC (source: EP)

F02D 41/20 (2013.01); **F02D 41/3827** (2013.01); **F02D 41/3845** (2013.01); **F02M 41/16** (2013.01); **F02M 45/04** (2013.01); **F02M 45/12** (2013.01); **F02M 59/46** (2013.01); **F02M 59/466** (2013.01); **F02M 63/0003** (2013.01); **F02D 2041/2017** (2013.01); **F02D 2041/2055** (2013.01); **F02D 2041/2058** (2013.01); **F02D 2041/224** (2013.01); **F02M 2200/40** (2013.01)

Cited by

EP3379062A4; CN115573965A; EP0896145A3; EP2336533A3; EP0986708A4; EP2538061A3; EP1134384A3; CN104895716A; EP2551510A4; CN113266487A; GB2329525A; FR2767866A1; GB2329525B; US6142124A; WO9934268A1; US9347393B2; US10082117B2; US10859047B2

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IE IT LI LU NL PT SE

DOCDB simple family (publication)

EP 0681100 A2 19951108; **EP 0681100 A3 19980617**; **EP 0681100 B1 20020327**; AT E215178 T1 20020415; BR 9501935 A 19951219; CN 1056668 C 20000920; CN 1116686 A 19960214; DE 69525986 D1 20020502; DE 69525986 T2 20021219; JP 2865588 B2 19990308; JP H0842382 A 19960213

DOCDB simple family (application)

EP 95106632 A 19950503; AT 95106632 T 19950503; BR 9501935 A 19950505; CN 95107103 A 19950505; DE 69525986 T 19950503; JP 10983695 A 19950508