

Title (en)

RAIL OF HIGH ABRASION RESISTANCE AND HIGH TENACITY HAVING PEARLITE METALLOGRAPHIC STRUCTURE AND METHOD OF MANUFACTURING THE SAME.

Title (de)

HOCHFESTE, ABRIEBSRESISTENTE SCHIENE MIT PERLITSTRUKTUR UND VERFAHREN ZU DEREN HERSTELLUNG.

Title (fr)

RAIL A RESISTANCE ELEVEE A L'ABRASION ET A HAUTE TENACITE POSSEDANT UNE STRUCTURE METALLOGRAPHIQUE PERLITIQUE ET PROCEDE DE PRODUCTION DUDIT RAIL.

Publication

**EP 0685566 A4 19960327 (EN)**

Application

**EP 95902988 A 19941219**

Priority

- JP 9402137 W 19941219
- JP 32009893 A 19931220
- JP 24444094 A 19941007
- JP 24444194 A 19941007

Abstract (en)

[origin: EP0685566A1] This invention relates to a high-tenacity rail having a strength, an abrasion resistance, and a high carbon pearlite structure excellent in ductility and tenacity; and a method of manufacturing the same. A high-tenacity rail having elongation of not less than 12 % and a U-notch Charpy impact value of not less than 25 J/cm<2> obtained by forming fine pearlite blocks by a special rolling operation in steel of a high abrasion resistance containing 0.60-1.20 wt.% of C, 0.10-1.20 wt.% of Si and 0.40-1.50 wt.% of Mn, and one or not less than two kinds of elements out of Cr, Mo, V, Nb and Co as necessary; and a method of manufacturing the same. This invention enables the ductility and tenacity of a high carbon steel rail of a high abrasion resistance to be improved, and a rail of a high safety to be provided for railways in a cold district. <IMAGE>

IPC 1-7

**C22C 38/00**; **C22C 38/30**; **C21D 8/00**

IPC 8 full level

**C21D 8/00** (2006.01); **C21D 9/04** (2006.01); **C22C 38/00** (2006.01)

CPC (source: EP US)

**C21D 8/00** (2013.01 - EP US); **C21D 9/04** (2013.01 - EP US); **C22C 38/00** (2013.01 - EP US); **C21D 2211/009** (2013.01 - EP US); **Y10S 148/902** (2013.01 - EP US)

Citation (search report)

- [Y] US 3726724 A 19730410 - DAVIES J, et al
- [Y] US 4714500 A 19871222 - HELLER WILHELM [DE], et al
- [Y] EP 0469560 A1 19920205 - BURLINGTON NORTHERN RAILROAD [US], et al
- [Y] US 4486248 A 19841204 - ACKERT ROBERT J [CA], et al
- [Y] EP 0358362 A1 19900314 - ALGOMA STEEL CORP LTD [CA]
- [A] WO 9314230 A1 19930722 - BUTZBACHER WEICHENBAU GMBH [DE]
- [A] DE 3111420 A1 19821014 - SCHWEIZERISCHE LOKOMOTIV [CH]
- See references of WO 9517532A1

Cited by

US7972451B2; DE19710333A1; CN107675084A; US6783610B2; CZ303508B6; EP2388352A1; US6928737B2; AU2013275213B2; CN114502761A; EP4023777A4; EP3992311A1; EP2071044A1; WO2005085481A1; WO03085149A1; EP3124636B1; EP3124636B2

Designated contracting state (EPC)

AT DE FR GB LU

DOCDB simple family (publication)

**EP 0685566 A1 19951206**; **EP 0685566 A4 19960327**; **EP 0685566 B1 20010509**; **EP 0685566 B2 20130605**; AT E201054 T1 20010515; AU 1201395 A 19950710; AU 680976 B2 19970814; BR 9406250 A 19960102; CA 2154779 A1 19950629; CA 2154779 C 19990615; CN 1041443 C 19981230; CN 1118174 A 19960306; DE 69427189 D1 20010613; DE 69427189 T2 20020103; DE 69427189 T3 20130808; KR 100186793 B1 19990401; RU 2107740 C1 19980327; US 5658400 A 19970819; WO 9517532 A1 19950629

DOCDB simple family (application)

**EP 95902988 A 19941219**; AT 95902988 T 19941219; AU 1201395 A 19941219; BR 9406250 A 19941219; CA 2154779 A 19941219; CN 94191249 A 19941219; DE 69427189 T 19941219; JP 9402137 W 19941219; KR 19950703473 A 19950818; RU 95120399 A 19941219; US 50735295 A 19950815