

Title (en)

WAGEGUIDE MULTIPLEXER/DEMULTIPLEXER

Title (de)

HOHLLEITERMULTIPLEXER/-DEMULTIPLEXER

Title (fr)

MULTIPLEXEUR-DEMULTIPLEXEUR DE GUIDE D'ONDES

Publication

EP 0693229 B1 19970611 (DE)

Application

EP 94910348 A 19940318

Priority

- DE 9400302 W 19940318
- DE 4311853 A 19930410

Abstract (en)

[origin: DE4340123A1] A waveguide multiplexer/demultiplexer which saves space and weight has a rectangular trunk waveguide short-circuited at one end (SH). In at least one side wall (S1, S2) of the trunk waveguide, at least one pair of coupling openings (K1, K4; K2, K5; K3, K6) is present, which are arranged next to one another in a direction transverse to the longitudinal axis of the trunk waveguide (SH), each coupling opening having a separation from the short-circuit plane (KE) of the trunk waveguide (SH) which corresponds to an odd multiple of a quarter of the mean wavelength of the frequency channel to be coupled via the corresponding coupling opening. The two coupling openings (K1, K4; K2, K5; K3, K6) are arranged shifted from the middle of the side wall (S1) towards the edges thereof to such an extent that a waveguide filter can be coupled to the trunk waveguide (SH) via each coupling opening (K1 ... K6). <IMAGE>

IPC 1-7

H01P 1/213

IPC 8 full level

H01P 1/213 (2006.01)

CPC (source: EP US)

H01P 1/2138 (2013.01 - EP US)

Designated contracting state (EPC)

DE FR GB IT NL

DOCDB simple family (publication)

DE 4340123 A1 19941013; DE 4340123 C2 19950713; CA 2160142 A1 19941027; CA 2160142 C 19990914; DE 59403125 D1 19970717; EP 0693229 A1 19960124; EP 0693229 B1 19970611; US 5578973 A 19961126; WO 9424721 A1 19941027

DOCDB simple family (application)

DE 4340123 A 19931125; CA 2160142 A 19940318; DE 59403125 T 19940318; DE 9400302 W 19940318; EP 94910348 A 19940318; US 53512895 A 19951224