

Title (en)
Indirect lighting device

Title (de)
Sekundärleuchte

Title (fr)
Dispositif d'éclairage indirect

Publication
EP 0696705 B1 19961023 (DE)

Application
EP 94112443 A 19940809

Priority
EP 94112443 A 19940809

Abstract (en)
[origin: EP0696705A1] <P>The lighting unit has a main reflector (1) formed from two identical reflector shells (11,2) that are located symmetrically about a centre axis (2). Located within the main reflector is an auxiliary reflector unit (4) that has a pair of surfaces (41,42). The lighting tube (5) is positioned between the surfaces. The auxiliary reflector arrangement and the lighting tube can be moved vertically (6) to vary the effect. The auxiliary reflector provides an indirect lighting effect.

IPC 1-7
F21V 7/00; **F21V 17/02**; **F21V 19/02**

IPC 8 full level
F21K 99/00 (2010.01); **F21V 7/00** (2006.01); **F21V 14/02** (2006.01); **F21V 14/04** (2006.01); **F21V 17/02** (2006.01); **F21V 19/02** (2006.01); **H01J 65/04** (2006.01); **F21Y 103/00** (2016.01)

CPC (source: EP US)
F21V 7/0008 (2013.01 - EP); **F21V 7/0025** (2013.01 - EP US); **F21V 7/005** (2013.01 - EP); **F21V 14/02** (2013.01 - EP); **F21V 14/04** (2013.01 - EP); **F21Y 2103/00** (2013.01 - EP US)

Cited by
EP2309174A1; AU2003209844B2; EP1262711A2; WO03078891A1

Designated contracting state (EPC)
AT CH DE FR GB IT LI

DOCDB simple family (publication)
EP 0696705 A1 19960214; **EP 0696705 B1 19961023**; AT E144606 T1 19961115; AT E161359 T1 19980115; DE 59400919 D1 19961128; DE 59501128 D1 19980129; EP 0722617 A1 19960724; EP 0722617 B1 19971217; WO 9605609 A1 19960222

DOCDB simple family (application)
EP 94112443 A 19940809; AT 94112443 T 19940809; AT 95929809 T 19950807; DE 59400919 T 19940809; DE 59501128 T 19950807; EP 9503133 W 19950807; EP 95929809 A 19950807