

Title (en)
An electrophotographic photoconductor and a method for forming the same

Title (de)
Elektrophotographischer Photoleiter und dessen Herstellungsverfahren

Title (fr)
Photoconducteur électrophotographique et son procédé de préparation

Publication
EP 0696763 A1 19960214 (EN)

Application
EP 95100136 A 19950105

Priority
JP 16161194 A 19940713

Abstract (en)
An electrophotographic photoconductor comprising a conductive support, an undercoating layer provided on the conductive support and a photosensitive layer provided on the undercoating layer, in which the undercoating layer comprises a needle-like titanium oxide particles and a binder resin. The needle-like titanium oxide particles in the undercoating layer show a volume resistance in the range from 10^{10} Ω .cm to 10^{15} Ω .cm when a loading pressure of 100 Kg/cm² is applied and have a short axis S having a length of 0.5 μ m or less and a long axis L having a length of 10 μ m or less and the aspect ratio of L/S ranging from 2 to 10. Further, the needle-like titanium oxide particles are contained in the undercoating layer in the range from 50 wt % to 95 wt% and the surface thereof remains untreated. <MATH>

IPC 1-7
G03G 5/14

IPC 8 full level
G03G 5/14 (2006.01)

CPC (source: EP)
G03G 5/144 (2013.01)

Citation (search report)
• [A] EP 0576957 A2 19940105 - SHARP KK [JP]
• [A] EP 0368252 A2 19900516 - AJINOMOTO KK [JP], et al

Cited by
EP1081557A1; EP1640808A3; EP0980027A1; US6136484A; US7312007B2; US6696214B2

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
EP 0696763 A1 19960214; EP 0696763 B1 19990728; CN 1082252 C 20020403; CN 1115500 A 19960124; DE 69511015 D1 19990902; DE 69511015 T2 20000105

DOCDB simple family (application)
EP 95100136 A 19950105; CN 95101438 A 19950120; DE 69511015 T 19950105