

Title (en)  
FIRE DAMPER AND A FIRE DAMPER CONTROL SYSTEM

Title (de)  
BRANDSCHUTZKLAPPE MIT ANSTEUERSYSTEM

Title (fr)  
CLAPET COUPE-FEU ET SON SYSTEME DE COMMANDE

Publication  
**EP 0699095 B1 20000628 (EN)**

Application  
**EP 94915738 A 19940510**

Priority  
• SE 9400432 W 19940510  
• SE 9301634 A 19930512  
• SE 9400104 A 19940117

Abstract (en)  
[origin: WO9426352A1] Device for rotating a shaft between a starting position and a working position, preferably a rotary shaft (6; 28) of a fire damper (4; 50). The shaft (6; 28) can be rotated between the starting position and the working position by simultaneous actuation of a rotary motor (7; 36) and an electromagnet (13; 38) against the biasing force of a return spring (17; 52). The motor has an output shaft driven by a gear train and provided with a pinion (8; 32) which is in engagement with a toothed segment (5; 30), which, together with the return spring (17; 52) is mounted on the shaft (6; 28). By actuating the electromagnet (13; 38) and the motor (7; 36), the spring can be tensioned via the pinion (8; 32) and the toothed segment (5; 30) at the same time as the shaft (6; 28) is rotated to its working position. By means of a microprocessor (20) it is possible to individually control a monitor, via a two-wired loop, each of a group of fire dampers.

IPC 1-7  
**A62C 2/24**; **F24F 11/02**

IPC 8 full level  
**A62C 2/24** (2006.01); **F24F 13/14** (2006.01)

CPC (source: EP)  
**A62C 2/24** (2013.01); **F24F 13/1426** (2013.01); **F24F 11/35** (2017.12); **F24F 13/1406** (2013.01); **F24F 2013/1433** (2013.01); **F24F 2013/1446** (2013.01); **F24F 2013/146** (2013.01); **F24F 2013/148** (2013.01)

Citation (examination)  
JP H02299672 A 19901211 - TOSHIBA CORP

Cited by  
RU2472547C2; CN112229010A

Designated contracting state (EPC)  
BE CH DE DK FR GB LI SE

DOCDB simple family (publication)  
**WO 9426352 A1 19941124**; AU 6763994 A 19941212; DE 69425056 D1 20000803; DE 69425056 T2 20010308; DK 0699095 T3 20001113; EP 0699095 A1 19960306; EP 0699095 B1 20000628; FI 109877 B 20021031; FI 955432 A0 19951110; FI 955432 A 19951110; NO 954522 D0 19951109; NO 954522 L 19951109

DOCDB simple family (application)  
**SE 9400432 W 19940510**; AU 6763994 A 19940510; DE 69425056 T 19940510; DK 94915738 T 19940510; EP 94915738 A 19940510; FI 955432 A 19951110; NO 954522 A 19951109