

Title (en)
Apparatus for suppressing stimulated Brillouin Scattering

Title (de)
Vorrichtung zur Unterdrückung von stimulierter Brillouin Streuung

Title (fr)
Appareil pour supprimer la diffusion Brillouin stimulée

Publication
EP 0703647 A1 19960327 (EN)

Application
EP 95306500 A 19950914

Priority
US 31351994 A 19940926

Abstract (en)
An apparatus and method are disclosed for suppressing stimulated Brillouin scattering (SBS) of the output light from a laser such as a distributed Bragg reflector (DBR) semiconductor laser using a tuner which responds to a dither signal to continuously tuning the semiconductor laser to reduce stimulated Brillouin scattering therefrom. The tuner responds to a continuously applied sinusoidal current as the dither signal to tune the semiconductor laser by controlling the lasing wavelength thereof. The tuner includes an input region for receiving the dither signal. In a first embodiment, the tuner includes a resistor thermally connected to a passive waveguide of the semiconductor laser, with the resistor responding to the dither signal for continuously heating the passive waveguide to control the tuning of the semiconductor laser. In a second embodiment, the tuner responds to the dither signal to continuously bias the passive waveguide of the semiconductor laser to control the tuning of the semiconductor laser. The tuner continuously injects a biasing current into the passive waveguide of the semiconductor laser to continuously bias the passive waveguide.

IPC 1-7
H01S 3/103; **H04B 10/18**

IPC 8 full level
H01S 3/10 (2006.01); **H01S 5/00** (2006.01); **H01S 5/042** (2006.01); **H01S 5/06** (2006.01); **H01S 5/0625** (2006.01); **H04B 10/18** (2006.01); **H01S 5/026** (2006.01)

CPC (source: EP US)
H01S 5/0612 (2013.01 - EP US); **H01S 5/06256** (2013.01 - EP US); **H04B 10/2537** (2013.01 - EP US); **H01S 5/0261** (2013.01 - EP US); **H01S 5/0265** (2013.01 - EP US); **H01S 2301/03** (2013.01 - EP US)

Citation (search report)

- [XY] EP 0595536 A1 19940504 - AMERICAN TELEPHONE & TELEGRAPH [US]
- [A] EP 0581525 A1 19940202 - AMERICAN TELEPHONE & TELEGRAPH [US]
- [DY] WOODWARD S L: "A DBR LASER TUNABLE BY RESISTIVE HEATING", IEEE PHOTONICS TECHNOLOGY LETTERS, vol. 4, no. 12, 1 December 1992 (1992-12-01), pages 1330 - 1332, XP000334611
- [X] HIROSE A ET AL: "SUPPRESSION OF STIMULATED BRILLOUIN SCATTERING AND BRILLOUIN CROSSTALK BY FREQUENCY-SWEEPING SPREAD-SPECTRUM SCHEME*", JOURNAL OF OPTICAL COMMUNICATIONS, vol. 12, no. 3, 1 September 1991 (1991-09-01), pages 82 - 85, XP000241880
- [X] F.W. WILLEMS AT EL: "harmonic distortion caused by stimulated brillouin scattering in externally modulated lightwave AM-CATV systems", ELECTRONICS LETTERS, vol. 30, no. 4, 17 February 1994 (1994-02-17), STEVENAGE GB, pages 343-345, XP000439534
- [A] KOREN U ET AL: "WIDELY TUNABLE DISTRIBUTED BRAGG REFLECTOR LASER WITH AN INTEGRATED ELECTROABSORPTION MODULATOR", PROCEEDINGS OF THE OPTICAL FIBER COMMUNICATION CONFERENCE, SAN JOSE, FEB. 2 - 7, 1992, no. CONF. 15, 2 February 1992 (1992-02-02), INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS, pages 124, XP000341633

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
US 5473625 A 19951205; DE 69535448 D1 20070516; DE 69535448 T2 20071213; EP 0703647 A1 19960327; EP 0703647 B1 20070404; JP H08111567 A 19960430

DOCDB simple family (application)
US 31351994 A 19940926; DE 69535448 T 19950914; EP 95306500 A 19950914; JP 27071195 A 19950926