

Title (en)

SPINNING DEVICE AND CONTROL OR REGULATING DEVICE THEREFOR

Title (de)

SPINNVORRICHTUNG UND STEUER- SOWIE REGELEINRICHTUNG FÜR DIE SPINNVORRICHTUNG

Title (fr)

DISPOSITIF DE FILAGE ET SYSTEME DE COMMANDE ET DE REGULATION POUR CE DISPOSITIF

Publication

EP 0710301 A1 19960508 (DE)

Application

EP 94918737 A 19940624

Priority

- DE 9400729 W 19940624
- DE 4321757 A 19930630
- DE 4328710 A 19930826

Abstract (en)

[origin: DE4422420A1] The invention relates to a spinning apparatus with a bobbin, fastened to a rotatable spindle, for receiving the thread. The latter is grasped by a centrally arranged thread guide and is guided, within a rotationally symmetrical element mounted in a freely suspended manner, to a second thread guide rotating together with the element. It is guided from there to the bobbin and, during the relative movement between the bobbin and element, is wound on the bobbin. According to the invention, the rotationally symmetrical element is tubular. It is held, on its part surrounding the bobbin, by means of a radially active and axially passive magnetic bearing and, on the end face confronting the oncoming thread, by means of a radially stable and axially unstable magnetic bearing. Furthermore, sensors are provided for recording the axial deviations of the element from its desired position as the measure of the changing thread pull and are followed by an electronic device.

IPC 1-7

D01H 1/42; D01H 7/68

IPC 8 full level

D01H 1/42 (2006.01); **D01H 7/68** (2006.01)

CPC (source: EP US)

D01H 1/427 (2013.01 - EP US); **D01H 7/68** (2013.01 - EP US)

Citation (search report)

See references of WO 9501472A1

Designated contracting state (EPC)

CH DE GB IT LI

DOCDB simple family (publication)

DE 4422420 A1 19950112; DE 4422420 C2 19970109; DE 59405725 D1 19980520; EP 0710301 A1 19960508; EP 0710301 B1 19980415; JP 3515574 B2 20040405; JP H08512100 A 19961217; US 5590515 A 19970107; WO 9501472 A1 19950112

DOCDB simple family (application)

DE 4422420 A 19940629; DE 59405725 T 19940624; DE 9400729 W 19940624; EP 94918737 A 19940624; JP 50321295 A 19940624; US 57569495 A 19951219