

Title (en)
OPTICAL DATA RECORDAL

Title (de)
OPTISCHE AUFZEICHNUNG VON DATEN

Title (fr)
ENREGISTREMENT DE DONNEES OPTIQUE

Publication
EP 0717679 A1 19960626 (EN)

Application
EP 94926304 A 19940912

Priority
• GB 9401984 W 19940912
• GB 9318804 A 19930910

Abstract (en)
[origin: WO9507184A1] A laser beam (2) emitted from a stripe-shaped area of a laser diode (1) is expanded in its low divergence axis to match the length of a modulator (5) which individually modulates different regions of the beam (2) to produce a plurality of individually modulated beam portions (6) which are focused by a lens (8) onto a recording medium, such as dye and receiver sheets (9, 10), to effect data recordal. By splitting the beam (2) in its low divergence axis, resolution problems are reduced, and a number of, for example, printed pixels can be produced simultaneously. The modulator may be a row of LCD cells, an acousto-optic modulator, or a row of micromirrors.

IPC 1-7
B41J 2/48; **G11B 7/14**; **G11B 7/125**

IPC 8 full level
B41J 2/44 (2006.01); **B41J 2/32** (2006.01); **B41J 2/48** (2006.01); **G02B 26/08** (2006.01); **G02F 1/13** (2006.01); **G02F 1/33** (2006.01); **G11B 7/128** (2012.01); **G11B 7/14** (2006.01)

CPC (source: EP US)
B41J 2/48 (2013.01 - EP US); **G11B 7/128** (2013.01 - EP US); **G11B 7/14** (2013.01 - EP US)

Citation (search report)
See references of WO 9507184A1

Designated contracting state (EPC)
BE CH DE FR GB LI

DOCDB simple family (publication)
WO 9507184 A1 19950316; DE 69411019 D1 19980716; DE 69411019 T2 19981008; EP 0717679 A1 19960626; EP 0717679 B1 19980610; GB 9318804 D0 19931027; JP H09504747 A 19970513; US 5877800 A 19990302

DOCDB simple family (application)
GB 9401984 W 19940912; DE 69411019 T 19940912; EP 94926304 A 19940912; GB 9318804 A 19930910; JP 50856094 A 19940912; US 60278096 A 19960528