

Publication

EP 0718203 A3 19960703

Application

EP 95500118 A 19950808

Priority

ES 9402585 A 19941219

Abstract (en)

[origin: EP0718203A2] The improvements are characterised in that, in the moulding phase, recessed areas (7) of shallow depth are formed in the principal external faces of the container and are provided at their periphery with a plurality of thickened portions (8,9) which are of a height equal to the depth of the recess and which are distributed over the sides and corners of the recess, and, in a subsequent phase, coplanar cuts parallel to the base of the recess are produced for the retention of the edges of corresponding exchangeable sheet-form elements carrying graphic information.

IPC 1-7

B65D 25/20; **B65B 61/20**

IPC 8 full level

B65B 61/20 (2006.01); **B65D 25/20** (2006.01)

CPC (source: EP)

B65B 61/202 (2013.01); **B65D 25/205** (2013.01)

Citation (search report)

- [A] DE 3121084 A1 19821216 - OBERLAND GLAS GMBH [DE]
- [A] DE 3939516 A1 19910606 - LINDE AG [DE]
- [A] DE 9111986 U1 19920123
- [A] NL 8502335 A 19870316 - UNILEVER NV

Cited by

EP2674367A1

Designated contracting state (EPC)

DE ES FR GB IE

DOCDB simple family (publication)

EP 0718203 A2 19960626; **EP 0718203 A3 19960703**; **EP 0718203 B1 19991006**; DE 69512619 D1 19991111; DE 69512619 T2 20000608; DE 718203 T1 19970911; ES 2098201 T1 19970501; ES 2098201 T3 20000201; ES 2116184 A1 19980701; ES 2116184 B1 19990301

DOCDB simple family (application)

EP 95500118 A 19950808; DE 69512619 T 19950808; DE 95500118 T 19950808; ES 9402585 A 19941219; ES 95500118 T 19950808