

Title (en)

DISTRIBUTION AUTOMATION SYSTEM USING MEDIUM AND LOW VOLTAGE DISTRIBUTION POWER LINES AS TWO-WAY DATA TRANSMISSION MEDIA

Title (de)

VERTEILUNGAUTOMATISIERUNGSSYSTEM DURCH MITTEL VON NIEDERSPANNUNGSNETZE ALS ZWEIWEGDATENÜBERTRAGUNGSMITTEL

Title (fr)

SYSTEME D'AUTOMATISATION DE LA DISTRIBUTION UTILISANT DES LIGNES DE FORCE A MOYENNE ET FAIBLE TENSION COMME MOYENS DE TRANSMISSION BILATERALE DE DONNEES

Publication

**EP 0721690 A1 19960717 (EN)**

Application

**EP 94929621 A 19940928**

Priority

- IT 9400158 W 19940928
- IT RM930660 A 19930929

Abstract (en)

[origin: WO9509473A2] A system for the remote control of the electricity distribution network and the telereading of the electricity, gas, water and other services meters of the customers connected to the same network. More specifically a system which uses centralized and distributed intelligence to manage the information and carrier currents at relatively high frequencies over the wires of the electricity networks to transmit the information. The carrier current system is implemented according to an original method, which, unlike the traditional one, does not utilize high frequency traps and by passes, at the network nodes. This method allows the use of the power distribution network without the expensive changes required by the traditional solution. This result is obtained by forecasting the messages over the Medium Voltage (MV) and the Low Voltage (LV) radial networks as they are configured for the distribution of the electricity and by properly addressing the various substations and the customer meters. Because the MV and LV electricity network configuration is subject to change as a consequence of intentionally made switching operations or as a consequence of automatic tripping of the switchgears following a fault, the method of properly addressing and routing the messages to their final destinations requires that the state of the network is very frequently updated. This function is performed by the system subject of this invention and the updating of the state of the network, a very important information in itself, has to be seen as an added value for the system.

IPC 1-7

**H02J 13/00**; G01R 21/133

IPC 8 full level

**G01R 21/133** (2006.01); **H02J 13/00** (2006.01)

CPC (source: EP)

**G01R 21/133** (2013.01); **H02J 13/00002** (2020.01); **H02J 13/00007** (2020.01); **H02J 13/00017** (2020.01); **H02J 13/00034** (2020.01); **Y02B 90/20** (2013.01); **Y02E 60/00** (2013.01); **Y04S 10/30** (2013.01); **Y04S 40/121** (2013.01); **Y04S 40/124** (2013.01)

Cited by

US8730837B2

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

**WO 9509473 A2 19950406**; **WO 9509473 A3 19950622**; BR 9407683 A 19970204; CA 2170624 A1 19950406; EP 0721690 A1 19960717; FI 962854 A0 19960715; FI 962854 A 19960715; IT 1261999 B 19960612; IT RM930660 A0 19930929; IT RM930660 A1 19950329; NO 961279 D0 19960329; NO 961279 L 19960329

DOCDB simple family (application)

**IT 9400158 W 19940928**; BR 9407683 A 19940928; CA 2170624 A 19940928; EP 94929621 A 19940928; FI 962854 A 19960715; IT RM930660 A 19930929; NO 961279 A 19960329