

Title (en)

TOOL FOR A PIPE-REPAIR ROBOT

Title (de)

WERKZEUG FÜR EINEN KANALROBOTER

Title (fr)

OUTIL POUR ROBOT UTILISE POUR REPARER DES CONDUITES

Publication

EP 0723643 A1 19960731 (DE)

Application

EP 95926826 A 19950815

Priority

- CH 9500181 W 19950815
- US 29189094 A 19940817

Abstract (en)

[origin: US5664912A] The tool has a sheathing plate (34) having an outlet opening (39) for a spackling composition, to which outlet opening (39) a pressure line (12) for the forcing-in of a sealing composition can be connected. In order to reduce the time required for the repair process, there is provided, alongside the outlet opening (39), a second opening (43) which is closed off in air-tight and pressure-tight manner by an elastically deformable flat-shaped article (53) which can be inflated in the manner of a balloon; a chamber (50) adjoining the second opening (43) on the rear side; and the chamber (50) can be connected to a source of pressure in order to inflate the flat-shaped article (53) in the manner of a balloon.

IPC 1-7

F16L 55/18; F16L 55/26

IPC 8 full level

F16L 55/179 (2006.01); **F16L 55/18** (2006.01); **F16L 55/26** (2006.01)

CPC (source: EP US)

F16L 55/179 (2013.01 - EP US); **F16L 55/18** (2013.01 - EP US); **F16L 55/265** (2013.01 - EP US)

Citation (search report)

See references of WO 9605463A1

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI NL SE

DOCDB simple family (publication)

US 5664912 A 19970909; AU 3108195 A 19960307; EP 0723643 A1 19960731; US 5527133 A 19960618; WO 9605463 A1 19960222

DOCDB simple family (application)

US 56438295 A 19951124; AU 3108195 A 19950815; CH 9500181 W 19950815; EP 95926826 A 19950815; US 29189094 A 19940817