

Publication

EP 0726370 A3 19960821

Application

EP 95119421 A 19951209

Priority

- DE 19500328 A 19950107
- DE 19516778 A 19950510

Abstract (en)

[origin: EP0726370A2] The facade has a profile wall (10) carrying a connection element (3) and having longitudinal bars (12). The bars extend along an anchor profile (5) to the end of the profile wall. A water run-off channel (13) is formed between the connection element on one side and the anchor profile on the other. The channel opens out at the post (1) into the longitudinal channel (9). The anchor profile of the bar (2) lies on the side of the plane (E) turned away from the connection element.

IPC 1-7

E04B 2/96

IPC 8 full level

E04B 2/96 (2006.01); **E04D 3/08** (2006.01); **E06B 7/23** (2006.01); **E06B 7/14** (2006.01)

CPC (source: EP)

E04B 2/967 (2013.01); **E04D 3/08** (2013.01); **E06B 7/2303** (2013.01); **E04D 2003/0806** (2013.01); **E04D 2003/0831** (2013.01); **E04D 2003/0868** (2013.01)

Citation (search report)

- [DA] DE 3419538 A1 19851128 - SCHUERMANN & CO HEINZ [DE]
- [A] EP 0619403 A1 19941012 - HARTMANN & CO W [DE]
- [A] EP 0445866 A2 19910911 - ORNAGO HYDRO ALLUMINIO [IT]
- [A] DE 3612149 A1 19871015 - WIELAND WERKE AG [DE]

Cited by

DE102004013576A1; US6745527B1; EP1577455A2; WO2004088082A1; WO0127399A3; EP2116659A2; DE102008022650A1; US6748709B1

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IE IT LI MC NL PT SE

DOCDB simple family (publication)

EP 0726370 A2 19960814; **EP 0726370 A3 19960821**; **EP 0726370 B1 19990310**; AT E177496 T1 19990315; DK 0726370 T3 19990927; ES 2128644 T3 19990516; NO 308223 B1 20000814; NO 954850 D0 19951129; NO 954850 L 19960708

DOCDB simple family (application)

EP 95119421 A 19951209; AT 95119421 T 19951209; DK 95119421 T 19951209; ES 95119421 T 19951209; NO 954850 A 19951129