

Title (en)

MANUALLY OPERATED ANGLE SENSOR

Title (de)

HANDBETÄTIGTER WINKELGEBER

Title (fr)

CAPTEUR ANGULAIRE A COMMANDE MANUELLE

Publication

**EP 0727040 A1 19960821 (DE)**

Application

**EP 94912505 A 19940323**

Priority

- DE 4311496 A 19930407
- EP 9400905 W 19940323

Abstract (en)

[origin: WO9423273A1] In a manually operated angle detector with a rotatable and manually movable detector element (3), a sensor (10) scanning it and a magnetic or contactlessly operating locking mechanism for the detector element (3) having a magnetic flux conductor with successive tongues (7) spaced on a concentric line with the axis of rotation of the detector element (3), at least part of the length of the tongues (7) being in a concentric cylindrical surface to the axis of rotation of the detector element (3). Concentrically with this cylindrical surface and at a short radial distance therefrom there are alternate north and south poles of a magnet (8) in the peripheral direction. In addition, the angular distribution of the tongues (7) is the same as that defined by the angle between two adjacent poles or a whole multiple thereof.

IPC 1-7

**G01D 5/244**

IPC 8 full level

**G01D 5/244** (2006.01); **G01D 5/245** (2006.01)

CPC (source: EP)

**G01D 5/2451** (2013.01); **H01H 2003/506** (2013.01)

Citation (search report)

See references of WO 9423273A1

Designated contracting state (EPC)

AT BE CH FR GB IT LI NL SE

DOCDB simple family (publication)

**DE 4311496 A1 19941013; DE 4311496 C2 19950524;** EP 0727040 A1 19960821; JP H08508819 A 19960917; WO 9423273 A1 19941013

DOCDB simple family (application)

**DE 4311496 A 19930407;** EP 9400905 W 19940323; EP 94912505 A 19940323; JP 52163494 A 19940323