

Title (en)

DEVICE FOR PREVENTING TURBULENCE AT PUMP INLETS

Title (de)

EINRICHTUNG ZUR VERHINDERUNG VON UNTERWASSERWIRBELN AN PUMPENEINLÄUFEN

Title (fr)

DISPOSITIF POUR EMPECHER LA FORMATION DE TOURBILLONS AUX ENTREES DE POMPES

Publication

EP 0731880 A1 19960918 (DE)

Application

EP 95900701 A 19941110

Priority

- DE 4340711 A 19931130
- EP 9403720 W 19941110

Abstract (en)

[origin: WO9515440A1] The subject matter of the invention is a low-complexity device for preventing turbulence arising at the base (6) and rear wall (3) of the inlet chamber (1) of a centrifugal pump. The device has a ridge (7) of any cross section running along the base (6) of the inlet chamber (1) and passing through the extended central axis (9) of the pump inlet (4). The height (h) and width (b) of the cross section and of the segments (x1 and x2) thereof on either side of the extended central axis (9) of the pump inlet (4) are defined by reference to the diameter (D) of the pump inlet (4) as follows: a) $0,055 < h/D < 0,29$; b) $0,045 < b/D < 0,39$; c) $0,45 < x1/D < \text{INFINITY}$; d) $0,45 < x2/D < \text{INFINITY}$.

IPC 1-7

F04D 29/42; **F04D 29/66**

IPC 8 full level

F04D 29/42 (2006.01); **F04D 29/66** (2006.01)

CPC (source: EP)

F04D 29/4273 (2013.01); **F04D 29/688** (2013.01); **F04D 29/708** (2013.01)

Citation (search report)

See references of WO 9515440A1

Cited by

CN105139746A

Designated contracting state (EPC)

DE FR GB NL

DOCDB simple family (publication)

DE 4340711 A1 19950601; CN 1051359 C 20000412; CN 1131453 A 19960918; DE 59406462 D1 19980820; EP 0731880 A1 19960918; EP 0731880 B1 19980715; WO 9515440 A1 19950608

DOCDB simple family (application)

DE 4340711 A 19931130; CN 94193425 A 19941110; DE 59406462 T 19941110; EP 9403720 W 19941110; EP 95900701 A 19941110