

Title (en)
Catch-device for a web

Title (de)
Bahngangvorrichtung

Title (fr)
Dispositif de saisie pour une bande

Publication
EP 0732207 A1 19960918 (DE)

Application
EP 96103835 A 19960312

Priority
DE 19509167 A 19950314

Abstract (en)

At least two metal plates (8,9) are provided which are vertical to the catchment gap (3), spaced apart (a1) and parallel to one another. The spacing of the plates is greater than the thickness (d4) of the web (4). Ends (12,13) of the plates are so formed, that a space (a1) between the plates against a transport direction (T) enlarges to a greater distance (a3). The plates are provided with side-plates parallel to the transport direction. The spacing of the plates is adjustable vertically to the web. As catchment units rollers (1,2) are provided, and are driven.

Abstract (de)

Bei einer Bahngangvorrichtung mit zwei Fangelementen (1,2) besteht die Aufgabe darin, Flattern bzw. Schwingen einer Bahn (4) im Bereich der Fangelemente (1,2) zu minimieren. Erfindungsgemäß wird dies durch im Bereich der Fangelemente (1,2) angeordneter Bleche (8,9) erreicht.
<IMAGE>

IPC 1-7
B41F 33/18

IPC 8 full level
B41F 21/00 (2006.01); **B41F 33/00** (2006.01); **B41F 33/18** (2006.01); **B65H 20/02** (2006.01)

CPC (source: EP US)
B41F 33/18 (2013.01 - EP US); **B41P 2233/20** (2013.01 - EP US)

Citation (search report)

- [A] EP 0575786 A1 19931229 - HEIDELBERGER DRUCKMASCH AG [DE]
- [A] EP 0563645 A1 19931006 - ROLAND MAN DRUCKMASCH [DE]
- [A] EP 0616966 A1 19940928 - BALDWIN WEB CONTROLS A DIVISIO [US]
- [A] FR 2519298 A1 19830708 - ROLAND MAN DRUCKMASCH [DE]
- [A] PATENT ABSTRACTS OF JAPAN vol. 14, no. 529 (P - 1133) 20 November 1990 (1990-11-20)

Designated contracting state (EPC)
CH DE FR GB IT LI SE

DOCDB simple family (publication)
EP 0732207 A1 19960918; EP 0732207 B1 19980916; DE 19509167 A1 19960919; DE 19509167 C2 19970403; DE 59600553 D1 19981022;
JP 2901912 B2 19990607; JP H08245026 A 19960924; US 5615610 A 19970401

DOCDB simple family (application)
EP 96103835 A 19960312; DE 19509167 A 19950314; DE 59600553 T 19960312; JP 5204896 A 19960308; US 61025996 A 19960304