

Title (en)

A printer for printing on a continuous print medium

Title (de)

Drucker zum Bedrucken von einem bandförmigen Aufzeichnungsträger

Title (fr)

Imprimante pour imprimante sur un substrat d'enregistrement en forme de bande

Publication

EP 0734876 A2 19961002 (EN)

Application

EP 96301983 A 19960322

Priority

GB 9506651 A 19950331

Abstract (en)

A thermal printer for printing on a continuous print medium by ink transfer from a thermal print ribbon has a print head which is pivotally mounted and which is driven in an oscillatory nodding motion by means of a stepper motor so as repeatedly to bring a linear array of energisable printing elements to bear against a platen roller. Both the element array and the platen extend transversely to respective paths of travel of the print medium and the ribbon. The print medium is fed through the printer from an inlet region, between the platen and print head, and thence to an outlet region. The instantaneous rate of travel of the print medium past the print head is substantially the same as the rate of feed of print medium to the printer. Typically this rate is of the order of 250 to 400 mm per second. The ribbon also travels between the print head and the platen, overlying the print medium and is driven in such a manner that it travels at the same rate as the print medium during each printing operation. This is achieved by driving the ribbon with a motor the speed of which is controlled according to the sensed speed of travel of the print medium, e.g. by coupling the motor to processing circuitry which takes an input signal from a shaft encoder associated with the platen roller. Alternatively, the ribbon may be driven by frictional contact with the print medium. These methods of driving the ribbon have the advantage that the ribbon speed can be varied to take account of different print medium speeds, e.g. due to the requirements of differing packaging processes, and also in response to transient variations in print medium speed during each printing operation. <IMAGE>

IPC 1-7

B41J 17/04

IPC 8 full level

B41J 17/04 (2006.01)

CPC (source: EP)

B41J 17/04 (2013.01)

Cited by

EP0861735A1; EP0917960A1; EP0842785A1; US6019527A; GB2338856A; GB2338856B; US5993092A; US6226020B1; US6307583B1; US7150572B2

Designated contracting state (EPC)

BE CH DE DK ES FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0734876 A2 19961002; EP 0734876 A3 19971112; AU 5033196 A 19961017; BR 9601209 A 19980106; CA 2173083 A1 19961001; GB 9506651 D0 19950524; MX 9601215 A 19970329; NO 961275 D0 19960329; NO 961275 L 19961001; NZ 286279 A 19971024

DOCDB simple family (application)

EP 96301983 A 19960322; AU 5033196 A 19960328; BR 9601209 A 19960329; CA 2173083 A 19960329; GB 9506651 A 19950331; MX 9601215 A 19960329; NO 961275 A 19960329; NZ 28627996 A 19960329