

Title (en)
DEVICE ON HAND MACHINE TOOLS FOR ROTARY TOOL DRIVE

Title (de)
EINRICHTUNG AN HANDWERKZEUGMASCHINEN ZUR DREHMITNAHME VON WERKZEUGEN

Title (fr)
DISPOSITIF D'ENTRAINEMENT EN ROTATION D'OUTILS POUR MACHINES-OUTILS MANUELLES

Publication
EP 0739267 A1 19961030 (DE)

Application
EP 95903762 A 19941224

Priority
• DE 9401535 W 19941224
• DE 4400970 A 19940114
• DE 4405958 A 19940224

Abstract (en)
[origin: US6089798A] PCT No. PCT/DE94/01535 Sec. 371 Date Dec. 2, 1996 Sec. 102(e) Date Dec. 2, 1996 PCT Filed Dec. 24, 1994 PCT Pub. No. WO95/19244 PCT Pub. Date Jul. 20, 1995A device on hand-held tool-driving machines for the coupling of pounding and/or drilling tools is proposed, wherein on the tool shank (11) and the tool holder (10) are located at least three couplings comprising grooves (17, 18, 22) that run axially to the shank end and coupling gibs (19, 20, 23) on the tool holder (10) that engage in said grooves, and also an axial locking feature comprising a depression (21) in the tool shank (11) that runs axially and is closed toward the shank end and a locking body (16) in the tool holder (10) that engages in said depression, two of said couplings (17, 19 and 18, 20) being at least partially opposite one another. For the purpose of uniform torque loading of tool shank (11) and tool holder (10), the couplings located one behind the other on the shank circumference starting from the axial locking feature are positioned with their coupling flanks on a circumferential angle of >180 DEG , <240 DEG (FIG. 1).

IPC 1-7
B25D 17/08

IPC 8 full level
B23B 45/16 (2006.01); **B25D 17/08** (2006.01)

CPC (source: EP US)
B25D 17/088 (2013.01 - EP US); **B25D 2217/0003** (2013.01 - EP US); **B25D 2217/0034** (2013.01 - EP US); **B25D 2217/0038** (2013.01 - EP US); **B25D 2217/0042** (2013.01 - EP US); **B25D 2217/0049** (2013.01 - EP US); **Y10T 279/17076** (2015.01 - EP US); **Y10T 279/17085** (2015.01 - EP US); **Y10T 279/17752** (2015.01 - EP US); **Y10T 408/907** (2015.01 - EP US)

Citation (search report)
See references of WO 9519244A1

Designated contracting state (EPC)
AT CH DE DK ES FR GB IT LI NL SE

DOCDB simple family (publication)
US 6089798 A 20000718; AT E199672 T1 20010315; AU 1271495 A 19950801; AU 681927 B2 19970911; BR 9408483 A 19970826; CA 2180542 A1 19950720; CA 2180542 C 20000801; CN 1062206 C 20010221; CN 1141608 A 19970129; CZ 287520 B6 20001213; CZ 9602006 A3 19970212; DE 59409686 D1 20010419; DK 0739267 T3 20010709; EP 0739267 A1 19961030; EP 0739267 B1 20010314; ES 2155885 T3 20010601; FI 962843 A0 19960712; FI 962843 A 19960712; JP H09504236 A 19970428; RU 2143333 C1 19991227; SK 283037 B6 20030204; SK 89796 A3 19970806; WO 9519244 A1 19950720

DOCDB simple family (application)
US 68254796 A 19961202; AT 95903762 T 19941224; AU 1271495 A 19941224; BR 9408483 A 19941221; CA 2180542 A 19941224; CN 94194826 A 19941224; CZ 200696 A 19941224; DE 59409686 T 19941224; DE 9401535 W 19941224; DK 95903762 T 19941224; EP 95903762 A 19941224; ES 95903762 T 19941224; FI 962843 A 19960712; JP 51876195 A 19941224; RU 96116845 A 19941224; SK 89796 A 19941224