

Title (en)  
MOUNTING ARRANGEMENTS

Title (de)  
BEFESTIGUNGSVORRICHTUNG

Title (fr)  
DISPOSITIFS DE MONTAGE

Publication  
**EP 0740825 A1 19961106 (EN)**

Application  
**EP 95906405 A 19950123**

Priority  

- GB 9500123 W 19950123
- GB 9401173 A 19940121
- GB 9401186 A 19940121
- GB 9402647 A 19940211

Abstract (en)  
[origin: WO9520208A1] A suction device for use in mounting articles to a flat surface, comprises a lever arm (18) which is mounted for rotation in a chassis (10) for selectively raising or lowering the central region of a suction pad (12) to create or destroy a vacuum between the suction pad and the flat surface. One projecting end of the lever arm (18) is formed, for example with a transverse aperture (25), for engagement by a separate key for turning the lever arm. The opposite end of the lever arm comprises a cranked portion (22) to co-operate with a pair of end stops, but is too short to be used to turn the lever arm manually. A mounting member (not shown), formed from a resiliently flexible material, may be secured to the upper surface of the chassis (10) in a generally central position. The mounting member comprises a pair of walls having a space therebetween which define a slot for receiving an edge of a display sign.

IPC 1-7  
**G09F 21/04**; F16B 47/00; G09F 7/18; G09F 7/12; B25G 1/00

IPC 8 full level  
**B25G 1/00** (2006.01); **F16B 47/00** (2006.01); **G09F 7/12** (2006.01); **G09F 7/18** (2006.01); **G09F 21/04** (2006.01)

CPC (source: EP)  
**B25G 1/007** (2013.01); **F16B 47/006** (2013.01); **G09F 7/12** (2013.01); **G09F 7/18** (2013.01); **G09F 21/04** (2013.01); **G09F 2007/122** (2013.01); **G09F 2007/1852** (2013.01)

Citation (search report)  
See references of WO 9520208A1

Cited by  
AU756652B2

Designated contracting state (EPC)  
BE DE ES FR IE IT NL

DOCDB simple family (publication)  
**WO 9520208 A1 19950727**; AU 1460595 A 19950808; EP 0740825 A1 19961106

DOCDB simple family (application)  
**GB 9500123 W 19950123**; AU 1460595 A 19950123; EP 95906405 A 19950123