

Title (en)

Printing medium and its use using inkjet printing method

Title (de)

Druckmedium und Tintenstrahldruckverfahren unter seiner Verwendung

Title (fr)

Moyen d'impression et méthode d'impression à jet d'encre l'utilisant

Publication

EP 0743193 A1 19961120 (EN)

Application

EP 96107934 A 19960517

Priority

JP 12017295 A 19950518

Abstract (en)

Disclosed herein is a printing medium comprising a surface layer having liquid permeability and an ink-retaining layer, wherein a pore volume of pores corresponding to a peak not greater than 100 nm in a pore diameter distribution curve of the printing medium is at most 0.015 cc/g, a pore volume of pores corresponding to at least one of peaks greater than 100 nm is at least 0.015 cc/g, and the pH of the surface layer is at least 8.
<IMAGE>

IPC 1-7

B41M 5/00

IPC 8 full level

B41M 5/52 (2006.01); **B41M 5/00** (2006.01); **B41M 5/50** (2006.01)

CPC (source: EP)

B41M 5/506 (2013.01); **B41M 5/52** (2013.01); **B41M 5/508** (2013.01)

Citation (search report)

- [DA] US 4785313 A 19881115 - HIGUMA MASAHIKO [JP], et al
- [A] US 4460637 A 19840717 - MIYAMOTO SHIGEHIKO [JP], et al
- [A] EP 0622244 A1 19941102 - CANON KK [JP]
- [A] EP 0636489 A1 19950201 - CANON KK [JP]

Cited by

US5989701A; EP0965459A3; US8096651B2; JP2002120455A; JP2002113944A; EP0908324A1; EP1400367A3; DE19709735A1; EP2402167A1; US6605336B2; WO2007005232A1; WO2012001104A1; US7128413B2; US6550909B2; US8974877B2; US10029276B2

Designated contracting state (EPC)

BE CH DE FR GB IT LI NL

DOCDB simple family (publication)

EP 0743193 A1 19961120; CN 1054570 C 20000719; CN 1136503 A 19961127; KR 0163272 B1 19981215; KR 960040674 A 19961217

DOCDB simple family (application)

EP 96107934 A 19960517; CN 96100289 A 19960517; KR 19960016606 A 19960517