

Title (en)

HINGE DEVICE FOR ROTATING/SLIDING UNITS

Title (de)

SCHARNIERVORRICHTUNG FÜR DREH-/SCHIEBEELEMENTE

Title (fr)

DISPOSITIF D'ARTICULATION POUR ELEMENTS ROTATIFS/COULISSANTS

Publication

**EP 0750713 A1 19970102 (DE)**

Application

**EP 96900077 A 19960110**

Priority

- CH 9600010 W 19960110
- CH 7995 A 19950112

Abstract (en)

[origin: WO9621788A1] The hinge device is designed for the stable and space-saving connection of rotary and sliding leaf components (FL) with a guided sliding device (LWo, LWu). To this end, a seat component (AE1) used for being at least partially sunk in and for fixing to the leaf component (FL) has a recess (VTG) and two levers (FH, RH) fitted on spindles (XF1, XF2; XR1, XR2) on both sides and connectable to the adapter (AR) via a securing device (AH1), which are designed and arranged in such a way that the levers (FH, RH), the securing device (AH1) and the adapter (AR) can be at least partially accepted by the recess (VTG) when the leaf component (FL) is closed.

IPC 1-7

**E05D 15/26**; E05D 7/04

IPC 8 full level

**E05D 7/04** (2006.01); **E05D 15/26** (2006.01)

CPC (source: EP)

**E05D 7/0407** (2013.01); **E05D 15/26** (2013.01); **E05Y 2900/20** (2013.01)

Designated contracting state (EPC)

AT CH DE ES IT LI

DOCDB simple family (publication)

**WO 9621788 A1 19960718**; AT E257542 T1 20040115; DE 59610886 D1 20040212; EP 0750713 A1 19970102; EP 0750713 B1 20040107; ES 2214525 T3 20040916

DOCDB simple family (application)

**CH 9600010 W 19960110**; AT 96900077 T 19960110; DE 59610886 T 19960110; EP 96900077 A 19960110; ES 96900077 T 19960110