

Title (en)
CROSS-LINKING RESIN COMPOSITION

Title (de)
HÄRTBARE HARZZUSAMMENSETZUNG

Title (fr)
COMPOSITION DE RESINE DE RETICULATION

Publication
EP 0751164 B1 19991201 (EN)

Application
EP 95912434 A 19950316

Priority

- JP 4566494 A 19940316
- JP 4566594 A 19940316
- JP 9500453 W 19950316

Abstract (en)
[origin: EP0751164A1] Disclosed is a crosslinking resin composition comprising: (A) a carboxyl group-containing resin as a main agent, having a number average molecular weight of from 1,000 to 40,000 and an acid value of from 10 to 400 mg KOH/g; (B) a cyclic or chain silicone compound as a curing agent, having a number average molecular weight of from 350 to 8,000 and containing at least two epoxy groups in one molecule thereof, wherein the silicone compound is free of a silanol group, a hydrolyzable silyl group and a vinyl polymer structure, and wherein the silicone compound has a siloxy group-containing skeleton; and (C) a medium. The crosslinking resin composition of the present invention not only exhibits excellent storage stability, but is also capable of providing, upon being crosslinked, a cured resin having excellent gloss, weatherability, acid resistance, solvent resistance, water repellency and stain resistance. Therefore, the crosslinking resin composition can be advantageously used for providing various coating compositions, such as paints, and sealants.

IPC 1-7
C08G 59/20; **C08L 63/00**; **C08L 101/08**; **C08K 5/3435**

IPC 8 full level
C08K 5/3435 (2006.01); **C08L 101/08** (2006.01)

CPC (source: EP US)
C08K 5/3435 (2013.01 - EP US); **C08L 101/08** (2013.01 - EP US)

C-Set (source: EP US)
C08L 101/08 + **C08L 83/00**

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
EP 0751164 A1 19970102; **EP 0751164 A4 19980408**; **EP 0751164 B1 19991201**; DE 69513644 D1 20000105; DE 69513644 T2 20000629; US 5773497 A 19980630; WO 9525139 A1 19950921

DOCDB simple family (application)
EP 95912434 A 19950316; DE 69513644 T 19950316; JP 9500453 W 19950316; US 70474896 A 19960916