

Title (en)
Removable hinge for vehicle doors

Title (de)
Demontierbares Scharnier für Fahrzeugtüren

Title (fr)
Charnière démontable pour portes de véhicules

Publication
EP 0756055 A1 19970129 (DE)

Application
EP 96109128 A 19960607

Priority
DE 19527454 A 19950727

Abstract (en)
The vehicle door has two or more hinges wherein one half (1) of each hinge is fixed permanently to the door and the other half (4) is fixed detachably on the car body door frame. Alignment means are formed by positive and negative guide faces (9) of which at least one of the interacting guide faces is formed by a removable secondary part (10) such as a material strip. The through bore for the screw bolt in the hinge half on the body side is oversized compared with the shaft diameter of the screw bolt. The guide faces are mounted on complementary areas of the door frame on one side and the hinge half on the other. The secondary part has a shape corresponding to the basic outline and contour of the projection and recess.

Abstract (de)
Um eine Fahrzeugtüre einerseits mit üblichen Mitteln an die Karosserie anmontieren, einstellen und anschließend beliebig oft erneut in ihrer justierten Lage fixieren und andererseits aber erforderlichenfalls auch in geänderter Position wieder in die Karosserie einzubauen zu können wird ein demontierbares Scharnier vorgeschlagen, bei welchem jeweils die eine Scharnierhälfte (1) jedes Scharnieres fest bzw. bleibend mit der Fahrzeugtür verbunden ist und die andere, karosserieseitige Scharnierhälfte (4) unmittelbar oder vermittelt eines Befestigungselementes (5) und lösbar am Türrahmen (6) der Fahrzeugkarosserie befestigt ist und bei dem zur wiederholbaren gegenseitigen lagenrichtigen Ausrichtung vom Türrahmen bzw. Befestigungselement (5) und karosserieseitiger Scharnierhälfte (4) an beiden Teilen (5,6) wechselseitig formschlüssig ineinandergreifende, positive und negative Führungsflächen (9) bildende Ausrichtmittel vorgesehen sind, und bei dem wenigstens eine von zwei miteinander zusammenwirkenden Führungsflächen (9) durch ein lös- und abnehmbares Hilfsteil (10) gebildet ist. <IMAGE>

IPC 1-7
E05D 7/04; **E05D 7/12**

IPC 8 full level
E05D 7/04 (2006.01); **E05D 7/12** (2006.01)

CPC (source: EP)
E05D 7/0415 (2013.01); **E05D 7/121** (2013.01); **E05Y 2600/56** (2013.01); **E05Y 2900/531** (2013.01)

Citation (search report)
• [XAY] DE 3402809 A1 19850808 - DAIMLER BENZ AG [DE]
• [Y] DE 8716621 U1 19880218

Cited by
ES2156469A1; DE10321043B3; EP0990759A1; FR2784135A1; FR3110537A1; US8220125B2

Designated contracting state (EPC)
DE FR GB IT SE

DOCDB simple family (publication)
EP 0756055 A1 19970129; DE 19527454 A1 19970130

DOCDB simple family (application)
EP 96109128 A 19960607; DE 19527454 A 19950727