

Title (en)

PACKAGING MACHINE FOR SEALING A COVER FOIL STRIP ONTO A PLASTICS WEB WHICH COMPRISES CUPS

Title (de)

VERPACKUNGSMASCHINE ZUM AUFSIEGELN EINER DECKFOLIENBAHN AUF EINE NÄPFE AUFWEISENDE KUNSTSTOFFBAHN

Title (fr)

MACHINE DE CONDITIONNEMENT POUR SCELLER UNE BANDE DE FEUILLE DE RECOUVREMENT SUR UNE BANDE PLASTIQUE PRESENTANT DES ELEMENTS CUPULIFORMES

Publication

**EP 0760781 A1 19970312 (DE)**

Application

**EP 96900848 A 19960125**

Priority

- DE 9600101 W 19960125
- DE 19504219 A 19950209

Abstract (en)

[origin: DE19504219C1] The invention concerns a packaging machine for sealing a cover foil strip (30; 30a) onto a plastics web (11; 11a) which comprises cups (12). The packaging machine comprises a roller arrangement (20; 40) which plastically deforms the plastics web (11; 11a) according to the distances (a) between the cups. The packaging machine can be adapted particularly easily to modified foil parameters or machine tolerances by means of the roller arrangement (20; 40). It is also possible to further process a cooled foil web (11; 11a) located in the packaging machine after pauses in production.

IPC 1-7

**B65B 41/18**

IPC 8 full level

**B65B 9/04** (2006.01); **B65B 11/50** (2006.01); **B65B 41/18** (2006.01)

CPC (source: EP)

**B29C 65/18** (2013.01); **B29C 66/112** (2013.01); **B29C 66/131** (2013.01); **B29C 66/53461** (2013.01); **B29C 66/7392** (2013.01); **B29C 66/8221** (2013.01); **B29C 66/8242** (2013.01); **B29C 66/83411** (2013.01); **B29C 66/83413** (2013.01); **B29C 66/83415** (2013.01); **B29C 66/83511** (2013.01); **B29C 66/849** (2013.01); **B29C 66/9241** (2013.01); **B65B 9/045** (2013.01); **B29L 2031/7164** (2013.01)

Citation (search report)

See references of WO 9624523A1

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

**DE 19504219 C1 19960605**; CN 1146755 A 19970402; EP 0760781 A1 19970312; JP H09511727 A 19971125; WO 9624523 A1 19960815

DOCDB simple family (application)

**DE 19504219 A 19950209**; CN 96190041 A 19960125; DE 9600101 W 19960125; EP 96900848 A 19960125; JP 52388396 A 19960125