

Title (en)
Ttube radiator

Title (de)
Rohrradiator

Title (fr)
Radiateur tubulaire

Publication
EP 0764824 B1 20010418 (FR)

Application
EP 96401935 A 19960911

Priority
FR 9510810 A 19950915

Abstract (en)
[origin: EP0764824A1] The assembly consists of two tubular manifolds (1') connected by transfer tubes. Each manifold has a transverse partition (4) situated close to each end. Each partition has a large aperture (5) in it to allow the heating fluid to circulate through the manifold. A removable stopper (6) is fitted into the aperture to divide the manifold into two chambers which receive the flow and return fluid. The stopper can be made from metal, a synthetic material or rubber, and it can be made section so that it can be cut to the required size for receiving the return tube of a coupling cock. The end of each manifold also has an aperture (9) closed by a removable stopper (10) which gives access to the interior of the manifold to allow an inner partition stopper to be fitted or removed.

IPC 1-7
F28F 9/26; F24H 9/12

IPC 8 full level
F24H 9/12 (2006.01); **F28F 9/02** (2006.01); **F28F 9/26** (2006.01)

CPC (source: EP)
F24D 19/0002 (2013.01); **F24D 19/0073** (2013.01); **F28F 9/0212** (2013.01); **F28F 9/262** (2013.01); **F28F 2220/00** (2013.01);
F28F 2280/02 (2013.01)

Cited by
EP0916910A3; EP1818643A3

Designated contracting state (EPC)
CH DE ES GB IT LI SE

DOCDB simple family (publication)
EP 0764824 A1 19970326; EP 0764824 B1 20010418; DE 69612530 D1 20010523; DE 69612530 T2 20011122; FR 2738907 A1 19970321;
FR 2738907 B1 19971205

DOCDB simple family (application)
EP 96401935 A 19960911; DE 69612530 T 19960911; FR 9510810 A 19950915