

Title (en)

PROCESS AND DEVICE FOR INDUCTIVE CROSS-FIELD HEATING OF FLAT METALLIC GOODS

Title (de)

VORRICHTUNG UND VERFAHREN ZUR INDUKTIVEN QUERFELDERWÄRMUNG VON FLACHEM METALLISCHEM GUT

Title (fr)

PROCEDE ET DISPOSITIF DE CHAUFFAGE INDUCTIF PAR CHAMP TRANSVERSAL DE PRODUITS METALLIQUES PLATS

Publication

EP 0765591 A1 19970402 (DE)

Application

EP 95921684 A 19950613

Priority

- DE 9500757 W 19950613
- DE 4420553 A 19940615

Abstract (en)

[origin: WO9535013A1] A device for inductive cross-field heating of flat metallic goods (2, 3, 27) has at least one pair of inductors (1) having each one iron core (4-7, 22-25) provided with a groove (8, 26) for receiving a lead (9, 10, 28, 29) that extends in the transport direction. The grooves (8, 26) and leads (9, 10, 28, 29) of both inductors (1) of a pair of inductors are mirror symmetrical and the leads (9, 10, 28, 29) of each inductor (1) form two independently switchable lead systems. Each lead system has sections (15-18, 20) that extend substantially in the transport direction of the metallic goods (2, 3, 27) and whose centre lines (19) extend symmetrically to a central axis of the inductor parallel to the transport direction. The individual poles of the lead systems consist of maximum two leads (9, 10, 28, 29). Each pole of a lead system is arranged between the poles of the other lead system. A uniform temperature distribution in the goods to be heated (2, 3, 27) is achieved by synchronising and offsetting in time the moments when both lead systems are switched. The substantially symmetrical design of the inductor (1) causes similar conditions to prevail at both edges of the goods (2, 3, 27) even when the goods have various widths. By reducing the power applied by the lead system, which acts essentially on both edges of the metallic goods (2, 3, 27), the edges may thus be prevented from overheating.

IPC 1-7

H05B 6/02; **H05B 6/36**

IPC 8 full level

H05B 6/02 (2006.01); **H05B 6/36** (2006.01)

CPC (source: EP US)

H05B 6/104 (2013.01 - EP US); **H05B 6/362** (2013.01 - EP US)

Citation (search report)

See references of WO 9535013A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI

DOCDB simple family (publication)

WO 9535013 A1 19951221; AT E173875 T1 19981215; DE 59504341 D1 19990107; EP 0765591 A1 19970402; EP 0765591 B1 19981125; US 5818013 A 19981006

DOCDB simple family (application)

DE 9500757 W 19950613; AT 95921684 T 19950613; DE 59504341 T 19950613; EP 95921684 A 19950613; US 75059097 A 19970213