

Title (en)

Method of foreseeing and controlling tread wearing in a pneumatic tyre and related pneumatic tyre

Title (de)

Methode zur Vorhersage und Kontrolle des Laufflächenverschleisses eines Luftreifens und dazugehörender Luftreifen

Title (fr)

Procédé de prévision et de contrôle de l'usure d'un pneumatique et pneumatique associé

Publication

**EP 0768518 A2 19970416 (EN)**

Application

**EP 96115932 A 19961004**

Priority

IT MI952056 A 19951009

Abstract (en)

A method of foreseeing and controlling wearing in the tread band of a tyre based on the use of cuts of a limited depth (in the order of tenth parts of one millimeter) formed on the external surface of the tread band, in the thickness of the elastomeric material. The cut is preferably carried out by the laser beam technology. Rotation of the tyre on a road or on any other friction surface enables both the uneven wearing of the tread, highlighted by localized spots devoid of cuts, to be quickly verified by inspecting the maintenance state of said cuts, and the wear velocity of the tread, which can be drawn from calculation of the time elapsing between the disappearance of two groups of cuts of different depth. <IMAGE>

IPC 1-7

**G01M 17/02**

IPC 8 full level

**B29D 30/52** (2006.01); **B60C 11/12** (2006.01); **B60C 11/24** (2006.01); **G01M 17/02** (2006.01)

CPC (source: EP US)

**B60C 11/12** (2013.01 - EP US); **B60C 11/24** (2013.01 - EP US); **G01M 17/027** (2013.01 - EP US); **B60C 2011/1213** (2013.01 - EP US);  
**B60C 2011/1231** (2013.01 - EP US); **B60C 2011/1245** (2013.01 - EP US)

Cited by

EP2987655A4; CN108956164A; US9555591B2; US9403332B2; US10611192B2

Designated contracting state (EPC)

AT DE ES FI FR GB IT SE

DOCDB simple family (publication)

**EP 0768518 A2 19970416**; **EP 0768518 A3 19980826**; **EP 0768518 B1 20030716**; AR 003822 A1 19980909; AT E245277 T1 20030815;  
DE 69629083 D1 20030821; DE 69629083 T2 20040513; ES 2203664 T3 20040416; IT 1277253 B1 19971105; IT MI952056 A0 19951009;  
IT MI952056 A1 19970409; JP H09164819 A 19970624; US 5801304 A 19980901

DOCDB simple family (application)

**EP 96115932 A 19961004**; AR P960104645 A 19961008; AT 96115932 T 19961004; DE 69629083 T 19961004; ES 96115932 T 19961004;  
IT MI952056 A 19951009; JP 26869596 A 19961009; US 72879596 A 19961010