

Title (en)

Process and loom for handling a weft thread

Title (de)

Verfahren und Webmaschine zur Handhabung eines Schussfadens

Title (fr)

Procédé et métier à tisser pour la manipulation d'un fil de trame

Publication

EP 0778364 B1 20011024 (DE)

Application

EP 96118957 A 19961127

Priority

DE 19545839 A 19951208

Abstract (en)

[origin: DE19545839C1] A method for handling the lead section of the weft thread (16) inserted into the shed of an air jet loom equipped with a fabric guide laid out over the nominal breadth entails passing the lead section by a first cutter, a second cutter then a thread monitor (4) ensuring full confirmation of thread arrival and drawing it optionally under suction into the channel (14) of a weft thread pulling nozzle (6). On successful weft insertion a suction device (8) located prior to the monitor is activated and the pulling jet deactivated simultaneously so the lead section of the weft is gripped by the device without need of auxiliary warp threads, cut off by the second cutter and removed by the device. Also claimed incorporating the method is a loom comprising heddle frame for shed formation, the fabric guide, at least one reed (1) with weft insertion channel (1a), at least one reed filling piece after the reed to support and guide the weft thread during jet insertion, the first and at least one second cutter, each being capable of connection to a laying-in device, the thread monitor at the shed exit of the weft and at least one thread pulling nozzle after the monitor. The opening (8a) of the suction device lies in the weft insert channel plane, i.e. downstream at the reed strike position before the thread monitor.

IPC 1-7

D03D 47/40

IPC 8 full level

D03D 47/30 (2006.01); **D03D 47/36** (2006.01); **D03D 47/40** (2006.01); **D03J 1/04** (2006.01)

CPC (source: EP US)

D03D 47/308 (2013.01 - EP US)

Cited by

EP0942082A3

Designated contracting state (EPC)

BE CH DE FR GB IT LI

DOCDB simple family (publication)

DE 19545839 C1 19960829; DE 59608002 D1 20011129; EP 0778364 A2 19970611; EP 0778364 A3 19990421; EP 0778364 B1 20011024; JP 2749567 B2 19980513; JP H09291438 A 19971111; US 5735316 A 19980407

DOCDB simple family (application)

DE 19545839 A 19951208; DE 59608002 T 19961127; EP 96118957 A 19961127; JP 32866896 A 19961209; US 76185296 A 19961209