

Title (en)
ROD-TYPE CLOSURE

Title (de)
STANGENVERSCHLUSS

Title (fr)
FERMETURE A BARRE

Publication
EP 0783616 B1 19980610 (DE)

Application
EP 95933423 A 19950923

Priority
• DE 9415846 U 19940930
• EP 9503774 W 19950923

Abstract (en)
[origin: WO9610679A1] The invention concerns a rod-type closure preferably for locking switch cupboard or similar doors or hinged lids. The rod-type closure comprises a flat strip rod (18) which is disposed such that it extends parallel to the edge of the door, preferably in the canting space (10), and has at least one locking part (34) disposed thereon. The rod-type closure also has a closure element (32), disposed on the door frame (24), for accommodating the locking part (34) such that it is locked. The rod-type closure further comprises an actuating device (14) for the longitudinal displacement of the flat strip rod (18) between an opening and a locking position. According to the invention, in order to form the locking part (34), the flat strip rod (18) is offset out of its longitudinal plane over at least part of its longitudinal extension and the profile of the flat strip rod (18) forms with one of its narrow edges, in or adjacent the offset portion, the locking surface over which engages a hook part (36) of the closure element (32), said hook part being disposed parallel to the plane of the flat strip rod.

IPC 1-7
E05C 9/18

IPC 8 full level
E05B 9/08 (2006.01); **E05B 15/02** (2006.01); **E05B 65/06** (2006.01); **E05C 9/18** (2006.01)

CPC (source: EP US)
E05C 9/185 (2013.01 - EP US); **Y10S 292/20** (2013.01 - EP US); **Y10S 292/51** (2013.01 - EP US); **Y10T 292/0966** (2015.04 - EP US); **Y10T 292/42** (2015.04 - EP US)

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
DE 9415846 U1 19960201; DE 19581783 D2 19971127; DE 59502536 D1 19980716; EP 0783616 A1 19970716; EP 0783616 B1 19980610; JP 3547757 B2 20040728; JP H10506446 A 19980623; US 5887915 A 19990330; WO 9610679 A1 19960411

DOCDB simple family (application)
DE 9415846 U 19940930; DE 19581783 T 19950923; DE 59502536 T 19950923; EP 9503774 W 19950923; EP 95933423 A 19950923; JP 51136096 A 19950923; US 80964797 A 19970520