

Title (en)

Sleeve for an intaglio printing cylinder, fabrication process therefore and working procedure of the manufacturing machine

Title (de)

Hülse für eine Tiefdruckwalze, Verfahren zu ihrer Herstellung und Arbeitsverfahren der Vorrichtung zur Herstellung

Title (fr)

Manchon pour cylindre d'impression en creux, procédé pour la fabrication de ce cylindre et procédé de fonctionnement de l'appareil pour la fabrication

Publication

**EP 0787597 A3 19980107 (DE)**

Application

**EP 96117604 A 19961104**

Priority

DE 19603500 A 19960131

Abstract (en)

[origin: EP0787597A2] The printing roll has a sleeve comprising a basic sleeve (1) made of glass fibre-reinforced plastics and additional layers. The roll axle and the basic sleeve are slightly tapered and the basic sleeve has an axial key (6) which engages a slot in the roll axle. Preferably the taper amounts to approximately 2 mm variation in diameter over the length of the sleeve. Additional layers for rotogravure printing comprise a layer of compressible material (2), layer of plastics foam (3), an aluminium tube (4), and an electrolytically deposited engravable copper layer (5). For flexographic printing, the outermost layer is made of a cast or rigid foam material.

IPC 1-7

**B41N 1/22; B41C 1/18**

IPC 8 full level

**B41F 5/24** (2006.01); **B41C 1/18** (2006.01); **B41F 13/10** (2006.01); **B41F 13/11** (2006.01); **B41F 27/10** (2006.01); **B41N 1/20** (2006.01); **B41N 1/22** (2006.01)

CPC (source: EP US)

**B41C 1/182** (2013.01 - EP US); **B41N 1/20** (2013.01 - EP US); **B41N 1/22** (2013.01 - EP US); **Y10T 29/49558** (2015.01 - EP US)

Citation (search report)

- [Y] US 4144812 A 19790320 - JULIAN ANTHONY P
- [Y] FR 1225674 A 19600704
- [Y] GB 2051681 A 19810121 - DRG LTD
- [Y] DE 4315996 C1 19940804 - ROLAND MAN DRUCKMASCH [DE]
- [DY] EP 0384104 A1 19900829 - ROSSINI ERMINIO SPA [IT]
- [Y] GB 264821 A 19270414 - ASBERN MASCHINENFABRIK AG, et al
- [Y] US 2117722 A 19380517 - HUGGINS OWEN R
- [Y] EP 0278017 A1 19880817 - SAUERESSIG & CO [DE]
- [Y] EP 0295319 A1 19881221 - SAUERESSIG & CO [DE]
- [Y] US 3858287 A 19750107 - CHRISTOFFERSEN ALBERT B
- [X] US 5289769 A 19940301 - LEWIS ROBERT J [US]
- [Y] PATENT ABSTRACTS OF JAPAN vol. 012, no. 045 (M - 667) 10 February 1988 (1988-02-10)

Cited by

EP0865933A1; EP1808293A1; WO2007068262A1; DE102007050339A1; EP2050565A2

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB IT LI NL SE

DOCDB simple family (publication)

**EP 0787597 A2 19970806; EP 0787597 A3 19980107; EP 0787597 B1 20000426**; AT E192086 T1 20000515; CA 2195905 A1 19970801; DE 19603500 A1 19970807; DE 59605042 D1 20000531; DK 0787597 T3 20000925; JP 2975567 B2 19991110; JP H09207308 A 19970812; US 5784961 A 19980728

DOCDB simple family (application)

**EP 96117604 A 19961104**; AT 96117604 T 19961104; CA 2195905 A 19970124; DE 19603500 A 19960131; DE 59605042 T 19961104; DK 96117604 T 19961104; JP 904897 A 19970122; US 78818697 A 19970124