

Title (en)
BUILDING UNDERPINNING PROCESS

Title (de)
VERFAHREN ZUM UNTERFANGEN VON BAUWERKEN

Title (fr)
PROCEDE DE REPRISE EN SOUS-OEUVRE DE BATIMENTS

Publication
EP 0788572 A1 19970813 (DE)

Application
EP 96938908 A 19960816

Priority

- DE 9601526 W 19960816
- DE 19530304 A 19950817
- DE 19547763 A 19951220

Abstract (en)
[origin: US6062770A] PCT No. PCT/DE96/01526 Sec. 371 Date Jun. 11, 1997 Sec. 102(e) Date Jun. 11, 1997 PCT Filed Aug. 16, 1996 PCT Pub. No. WO97/07295 PCT Pub. Date Feb. 27, 1997A method for underpinning a building comprises arranging at least one elongated supporting element below and substantially parallel to the foundation of the building. A whole side wall of the building may thus be underpinned in a single operation without unnecessarily weakening the existing underground. By coupling a plurality of elongated supporting elements, a kind of large-surface foundation that securely supports the building can be created. The architectonic substance of very old buildings may thus be preserved in a non-aggressive manner. In addition, the underpinning method can be carried out very quickly and at a relatively low cost.

IPC 1-7
E02D 35/00; **E02D 27/48**

IPC 8 full level
E02D 27/48 (2006.01); **E02D 35/00** (2006.01)

CPC (source: EP US)
E02D 27/48 (2013.01 - EP US); **E02D 35/00** (2013.01 - EP US)

Citation (search report)
See references of WO 9707295A1

Cited by
CN10279554A

Designated contracting state (EPC)
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
US 6062770 A 20000516; AT E203075 T1 20010715; CZ 151097 A3 19980218; CZ 292795 B6 20031217; DK 0788572 T3 20010924; EP 0788572 A1 19970813; EP 0788572 B1 20010711; ES 2158362 T3 20010901; GR 3036352 T3 20011130; PT 788572 E 20011031; WO 9707295 A1 19970227

DOCDB simple family (application)
US 84969697 A 19970611; AT 96938908 T 19960816; CZ 151097 A 19960816; DE 9601526 W 19960816; DK 96938908 T 19960816; EP 96938908 A 19960816; ES 96938908 T 19960816; GR 20010401204 T 20010808; PT 96938908 T 19960816