

Title (en)
Piano escapement action

Title (de)
Hemmungsmechanik für Klaviere

Title (fr)
Mécanisme d'échappement pour piano

Publication
EP 0795848 A2 19970917 (EN)

Application
EP 97301687 A 19970313

Priority
• US 61665696 A 19960315
• US 78805897 A 19970123

Abstract (en)
A knuckle assembly for an escapement action (200) of a piano includes a knuckle (150), a jack retainer (204), and an adjustment means acting between the jack retainer (204) and the knuckle (150) for positioning the jack retainer (204) relative to the knuckle (150). The knuckle (150) is arranged for escape of the jack (120) from engagement with a knuckle surface during depression of a piano key (102). The jack retainer (204) retains the jack (120) in an "at rest" position with the jack (120) in engagement with the knuckle surface in opposition to force of a spring (160) urging the jack (120) toward the "at rest" position. A spring brake is adapted to be mounted to a repetition support (110) of an escapement action (200) of a piano for selective contact with a spring of the escapement action (200) in a manner to adjust the spring force urging a jack (120) of the escapement action(200) toward an "at rest" position.

IPC 1-7
G10C 3/22

IPC 8 full level
G10C 3/16 (2006.01); **G10C 3/22** (2006.01)

CPC (source: EP KR US)
G10C 3/166 (2013.01 - KR); **G10C 3/168** (2013.01 - KR); **G10C 3/18** (2013.01 - KR); **G10C 3/22** (2013.01 - EP US); **G10C 3/24** (2013.01 - EP US)

Cited by
CN102365678A; JP2016184022A

Designated contracting state (EPC)
AT DE GB IT

DOCDB simple family (publication)
EP 0795848 A2 19970917; **EP 0795848 A3 19980805**; CA 2199783 A1 19970915; JP H1031480 A 19980203; KR 19980069715 A 19981026

DOCDB simple family (application)
EP 97301687 A 19970313; CA 2199783 A 19970312; JP 6358097 A 19970317; KR 19970008896 A 19970315