

Title (en)

VARIABLE VOLUME SEALED CONTAINER FOR STORING LIQUIDS

Title (de)

DICHTER BEHÄLTER MIT VARIABLEM VOLUMEN FÜR DIE LAGERUNG VON FLÜSSIGKEITEN

Title (fr)

RESERVOIR ETANCHE A VOLUME VARIABLE POUR LE STOCKAGE D'UN LIQUIDE

Publication

**EP 0796211 A1 19970924 (FR)**

Application

**EP 95941762 A 19951205**

Priority

- FR 9501597 W 19951205
- FR 9415148 A 19941213

Abstract (en)

[origin: WO9618559A1] Variable volume container composed of essentially rigid elements ensuring superior airtightness and a sealed environment, in particular for preserving liquids and preventing any contact with the air. A lower element (1) of the container comprises a tank (14) into which is poured a liquid of variable volume to be stored (15), and a sealing envelope (16) surrounding the tank and containing a steady volume of a second liquid (17). An upper element (2) comprises a cover (20) which floats on the stored liquid, and a vertical skirt (24) which dips into the sealing envelope. The upper element (2) rises and descends with the level of stored liquid and traps an intermediate gas (29) between the two liquids (15 and 17). The container of the invention is useful for storing and/or carrying liquid products, in particular, beverages, hydrocarbons, waste water and farm effluents.

IPC 1-7

**B65D 88/34; B65D 90/38**

IPC 8 full level

**B65D 88/42** (2006.01); **B65D 88/34** (2006.01); **B65D 90/00** (2006.01); **B65D 90/38** (2006.01); **F17B 1/18** (2006.01)

CPC (source: EP)

**B65D 88/34** (2013.01); **B65D 90/38** (2013.01)

Designated contracting state (EPC)

AT BE CH DE GB IT LI NL

DOCDB simple family (publication)

**WO 9618559 A1 19960620;** AT E171918 T1 19981015; AU 4307496 A 19960703; CA 2205000 A1 19960620; DE 69505272 D1 19981112; DE 69505272 T2 19990602; EP 0796211 A1 19970924; EP 0796211 B1 19981007; FR 2727943 A1 19960614; FR 2727943 B1 19970124; JP H11506408 A 19990608

DOCDB simple family (application)

**FR 9501597 W 19951205;** AT 95941762 T 19951205; AU 4307496 A 19951205; CA 2205000 A 19951205; DE 69505272 T 19951205; EP 95941762 A 19951205; FR 9415148 A 19941213; JP 51834996 A 19951205