

Title (en)

Magnetic coated carrier, two-component type developer and developing method

Title (de)

Beschichtete magnetische Trägerteilchen, zwei-Komponententyp-Entwickler und Entwicklungsverfahren

Title (fr)

Particules de support magnétiques revêtues, révélateur du type à deux composants et procédé de développement

Publication

EP 0801335 A1 19971015 (EN)

Application

EP 97302356 A 19970407

Priority

JP 8524096 A 19960408

Abstract (en)

A magnetic coated carrier suitable for constituting a two-component type developer for use in electrophotography is composed of magnetic coated carrier particles comprising magnetic coated carrier particles comprising magnetic carrier core particles each comprising a binder resin and metal oxide particles, and a coating layer surface-coating each carrier core particle. The metal oxide particles have been subjected to a surface lipophilicity-imparting treatment. The magnetic carrier core particles have a resistivity of at least 1×10^{10} ohm.cm, and the magnetic coated carrier has a resistivity of at least 1×10^{12} ohm.cm. The magnetic coated carrier has a particle size distribution such that (i) it has a number-average particle size D_n of 5 - 100 μ m, (ii) it satisfies a relationship of $D_n / \sigma \geq 3.5$, wherein σ denotes a standard deviation of number-basis particle size distribution of the carrier, and (iii) it contains at least 25 % by number of particles having particle sizes of at most $D_n \times 2/3$. <IMAGE>

IPC 1-7

G03G 9/107; **G03G 9/113**; **G03G 9/10**

IPC 8 full level

G03G 9/08 (2006.01); **G03G 9/10** (2006.01); **G03G 9/107** (2006.01); **G03G 9/113** (2006.01)

CPC (source: EP KR US)

G03G 9/08 (2013.01 - KR); **G03G 9/0821** (2013.01 - EP); **G03G 9/0827** (2013.01 - EP); **G03G 9/1075** (2013.01 - EP KR US); **G03G 9/108** (2020.08 - EP KR US); **G03G 9/1085** (2020.08 - EP KR US); **G03G 9/10882** (2020.08 - EP KR US); **G03G 9/10884** (2020.08 - EP KR US); **G03G 9/1132** (2013.01 - EP); **G03G 9/1136** (2013.01 - EP)

Citation (search report)

- [A] EP 0662643 A2 19950712 - CANON KK [JP]
- [A] EP 0693712 A1 19960124 - CANON KK [JP]
- [A] EP 0650099 A2 19950426 - CANON KK [JP]
- [PA] EP 0708379 A2 19960424 - TODA KOGYO CORP [JP]
- [A] EP 0704767 A1 19960403 - MITA INDUSTRIAL CO LTD [JP]
- [A] DATABASE WPI Section Ch Week 8229, Derwent World Patents Index; Class A89, AN 82-60146E, XP002035819
- [A] DATABASE WPI Section Ch Week 9342, Derwent World Patents Index; Class A89, AN 93-330706, XP002035820

Cited by

EP1065571A3; EP0999478A1; EP0889369A1; EP0928997A1; EP0999477A1; US6002900A; EP0884653A3; US6124067A; EP0974873A3; US2010310978A1; US9034551B2; US6312862B1; US9944053B2; US10118370B2; US6506531B1; US9637630B2; US9790369B2; EP2267553A4

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

EP 0801335 A1 19971015; **EP 0801335 B1 20010829**; CN 1111761 C 20030618; CN 1168490 A 19971224; DE 69706353 D1 20011004; DE 69706353 T2 20020529; HK 1002876 A1 19980925; KR 100227586 B1 19991101; KR 970071156 A 19971107

DOCDB simple family (application)

EP 97302356 A 19970407; CN 97113424 A 19970408; DE 69706353 T 19970407; HK 98102013 A 19980311; KR 19970012850 A 19970408