

Title (en)

Device for the pressing out of the pivot pin of a suspension joint and/or of a track rod

Title (de)

Auspressvorrichtung für ein Achstraggelenk und/oder einen Spurstangenkopf

Title (fr)

Dispositif expulseur pour pousser le pivot d'une articulation de suspension et/ou d'une barre d'accouplement

Publication

**EP 0803332 B1 20011114 (DE)**

Application

**EP 97105821 A 19970409**

Priority

DE 29607447 U 19960424

Abstract (en)

[origin: JPH1080874A] PROBLEM TO BE SOLVED: To improve a pressing-out device so as to use it universally quick- responding to the condition in each occasion regardless of a using condition in order to extrude a joint pin formed in various different forms, as well as to reduce the manufacturing cost. SOLUTION: An adjusting member consists of an adjusting spindle 5, the adjusting spindle 5 has a turning pin 9 extending in the lateral direction orthogonal to the regulating spindle at its one side end 7, and plural supporting levers 2 furnishing acceptant elements 24 which are formed in different forms are provided. The supporting lever 2 can be connected rotatively to the turning pin 9 selectively and interchangeably.

IPC 1-7

**B25B 27/02**

IPC 8 full level

**B25B 27/02** (2006.01); **B25B 27/06** (2006.01); **B25B 27/073** (2006.01); **F16D 3/16** (2006.01)

CPC (source: EP US)

**B25B 27/023** (2013.01 - EP US); **B25B 27/062** (2013.01 - EP US); **Y10T 29/53852** (2015.01 - EP US)

Cited by

DE102012107943A1; DE102012107943B4; TWI417171B

Designated contracting state (EPC)

DE DK ES FR GB IT

DOCDB simple family (publication)

**DE 29607447 U1 19960704**; CN 1067317 C 20010620; CN 1175493 A 19980311; DE 59705329 D1 20011220; DK 0803332 T3 20020121; EP 0803332 A1 19971029; EP 0803332 B1 20011114; ES 2166486 T3 20020416; JP 3056437 B2 20000626; JP H1080874 A 19980331; US 5906034 A 19990525

DOCDB simple family (application)

**DE 29607447 U 19960424**; CN 97110796 A 19970423; DE 59705329 T 19970409; DK 97105821 T 19970409; EP 97105821 A 19970409; ES 97105821 T 19970409; JP 10505497 A 19970423; US 84395697 A 19970418